

Kingsgate Moth Report  
2004

Orange Swift

6/8-11/9/2004. One-eight on most nights.

Common Swift

9/5-1/7/2004. Most nights from 14/5. Counts of 10-22 on eighteen dates with 27 on 9/6/2004.

Leopard Moth

Singles on 7/7 and 15/7/2004.

Six-spot Burnet Moth

A day flying species with colonies on the Golf Course, a Paddock near the College and at North Foreland. The adults of the latter colony destroyed by inappropriate and unseasonal mowing. Continuing to decline on the Golf Course but stable in the Paddock. Seen from late June-mid August.

December Moth

24/11-15/12/2004. Singles on five dates.

Lackey.

Singles on just four dates. Has never been a common moth in this area.

Oak Eggar

16/7-8/8/2004. Single females on four dates. Males occasionally seen flying by day.

Oak Hook-tip

One on 25/8/2004.

Dusky Hook-tip

One on 12/8/2004. A very rare migrant, the 1st area record.

Chinese Character

Double brooded. One on 9/5/2004. Singles on six dates 24/7-2/9/2004.

Buff Arches

26/6-22/7/2004. 1-2 on eighteen dates.

Figure of Eighty

29/5-16/6/2004. 1-4 on ten dates. A further single on 13/7/2004.

Common Lutestring

One on 9/7/2004.

March Moth

16/2-16/3/2004. Singles on four dates with 2 on 3/3/2004.

Blotched Emerald

One on 12/6/2004. The 2nd area record.

Common Emerald

29/6-8/8/2004. One-eight on most nights.

Small Emerald

15/7-29/7/2004. Singles on four dates with 3 on 22/7/2004.

Maiden's Blush

One on 18/8/2004.

Blood-vein

Double brooded. Two on 29/5 and then four singles from 4/6-9/6/2004.  
9/7-15/8/2004. 1-2 on sixteen dates.

Sub-angled Wave

One on 8/8/2004. The 2nd area record.

Mullein Wave

Double brooded. 29/5-17/6/2004. 1-2 on thirteen dates.  
16/7-28/8/2004. 1-4 on nineteen dates.

Small Blood-vein

21/6-12/8/2004. 1-3 on most nights from 30/6. Further singles on 16/9 and 26/9.

Cream Wave

One on 29/5/2004. The 1st area record.

Least Carpet

15/6-17/8/2004. Nearly every night. Counts of 10-42 from 14/7-11/8 with a peak  
of 49 on 23/7.

Small Fan-footed Wave

14/7-14/8/2004. 1-4 on twelve dates.

Dwarf Cream Wave

14/6-14/8/2004. Commonest during July, when 1-7 on most nights with peaks of  
10 on 16th, 22nd and 23rd.

Small Dusty Wave

Two or more overlapping broods. One on 19/5 and then 1-8 on most nights from 6/6-  
2/10/2004 with 10 on 14/6.

Single-dotted Wave

Singles on 13/6 and 29/6/2004. 1-9 then noted on most nights from 5/7-23/8/2004  
with 12 on 16/7.

Satin Wave

Double brooded. 7/6-14/6/2004. Three singles with 2 on 8/6. One on 6/8/2004.

Treble Brown Spot

8/6-23/7/2004. 1-7 on twenty-seven dates with 10 on 15/6/2004.

Small Scallop

One on 16/7/2004. The 2nd area record.

Riband Wave

9/6-22/8/2004. 1-3 on eight dates in June, then most nights in July with counts of  
10-43 from 14th and a peak of 53 on 16th. Smaller numbers on most nights during August  
with 10-23 on seven dates. Further singles on 31/8 and 4/9.

Vestal

Migrant. One on 12/8/2004.

Gem

Migrant. One on 17/9/2004. Exceptionally poor.

Flame Carpet

One on 7/8/2004. The 3rd area record.

Red Twin-spot Carpet

Double brooded. Singles on 18/5 and 7/6/2004. 16/7-12/8/2004. 1-3 on ten dates.

Dark-barred Twin-spot Carpet.

Only 2nd brood specimens note. Singles on 22/7, 1/8 and 8/8/2004.

Garden Carpet

18/5-29/9/2004. Just three singles in May. 1-8 on most nights during June and August with 1-11 on most nights in July. 1-4 on many dates during September.  
Peaks of 14 on 3/8 and 12 on 5/8/2004.

Shaded Broad-bar

9/7-9/8/2004. Singles on five dates.

Common Carpet

Double brooded. 19/5-11/6/2004. 1-2 on six dates.  
6/7-10/9/2004. 1-3 on twenty-two dates with 4 on 4/8/2004. Most frequent during August.

Wood Carpet

One on 5/7/2004.

Galium Carpet

16/7-4/9/2004. Singles on six dates.

Yellow Shell

Singles on 26/5 and 27/6/2004, then 1-3 on seventeen dates from 7/7-10/9/2004 with 5 on 20/7.

Mallow

12/10-29/10/2004. Singles on five dates with 2 on 21/10/2004.

Dark Spinach

One on 20/7/2004.

Purple Bar

Double brooded. 7/6-7/7/2004. 1-2 on six dates. 4/8-25/8/2004. Singles on four dates.

Phoenix

Singles on 7/7, 20/7 and 9/8/2004.

Spinach

Singles on 8/6 and 11/7/2004.

Barred Straw

One on 15/7/2004.

Small Phoenix

One on 16/7/2004.

Common Marbled Carpet

Double brooded. 29/5-25/6/2004. 1-4 on twelve dates.  
17/9-12/10/2004. 1-2 on four dates. Poor, particularly the 2nd generation.

Barred Yellow

6/6-16/7/2004. Singles on six dates.

Blue-bordered Carpet

5/7-26/7/2004. Singles on four dates.

Grey Pine Carpet

Double brooded. 15/5-15/6/2004. Singles on seven dates.  
17/9-27/10/2004. Singles on five dates with 2 on 4/10/2004.

Spruce Carpet

One on 31/5/2004.

Green Carpet

Double brooded. Singles on 19/5 and 6/6/2004. Singles on four dates 15/8-2/9 with 3 on 4/9.

July Highflyer

One on 15/7/2004.

Small Waved Umber

Singles on 25/7 and 9/8/2004.

Fern

One on 8/8/2004.

Pretty Chalk Carpet

One on 15/7/2004.

Dark Umber

One on 16/7/2004. The 1st record for the area.

November Moth

30/10-29/11/2004. Singles on five dates with 3 on 7/11/2004.

Winter Moth

Singles on 7/12 and 23/12 with 2 on 31/12/2004.

Small Rivulet

One on 5/8/2004.

Sandy Carpet

One on 29/5/2004.

Maple Pug

One on 16/7/2004. The 2nd area record.

Haworth's Pug

6/6-22/7/2004. 1-3 on eleven dates – only two singles during June.

Toadflax Pug

12/7-8/8/2004. Singles on six dates with 2 on 8/8/2004.

Mottled Pug

19/5-26/6/2004. 1-9 on sixteen dates with 12 on 9/6/2004.

Lime-speck Pug

15/5-16/9/2004. 1-3 on six dates during May. 1-10 on most nights from June-August with peaks of 12 on 16/7 and 14 on 22/7/2004.

Freyer's Pug

29/5-15/6/2004. 1-3 on five dates with 5 on 8/6/2004.

Wormwood Pug

15/7-14/8/2004. 1-3 on twenty-one dates.

Currant Pug  
Double brooded. One on 14/6/2004. 12/7-23/8/2004. Singles on six dates with 2 on 24/8.

Common Pug  
12/5-14/7/2004. 1-8 on twenty-five dates. A further single on 16/8/2004.

White-spotted Pug  
Double brooded. One on 17/6/2004. Singles on 22/7, 24/7 and 30/7/2004.

Grey Pug  
18/5-14/7/2004. Singles on ten dates with 2 on 14/6/2004.

Tawny-speckled Pug  
3/8-2/9/2004. Singles on ten dates.

Bordered Pug  
14/7-15/8/2004. Singles on nine dates with 2 on 22/7/2004.

Shaded Pug  
24/5-16/7/2004. 1-6 on twenty-two dates with 10 on 29/5 and 8/6, 14 on 9/6 and 11 on 15/6/2004.

Yarrow Pug  
14/7-9/8/2004. Singles on five dates with 2 on 16/7 and 5/8/2004.

Plain Pug  
16/7-4/8/2004. Singles on four dates with 2 on 9/8/2004.

Oak-tree Pug  
6/5-9/6/2004. 1-2 on eight dates.

Cypress Pug  
An early single on 6/6. More typically, 1-8 on most nights from 3/8-2/9/2004.

Larch Pug  
One on 19/5/2004. The 1st record for the area.

Dwarf Pug  
One on 17/5/2004.

V-Pug  
Double brooded. One on 7/6/2004. Singles on 20/7 and 9/8/2004.

Sloe Pug  
One on 8/6/2004.

Green Pug  
29/5-16/7/2004. 1-12 on twenty-seven dates with 14 on 9/6/2004.

Double-striped Pug  
At least double brooded. One on 31/3/2004. 14/5-24/5/2004. 1-2 on seven dates.  
One on 8/6. 20/6-4/9/2004. 1-6 on many dates with 8 on 5/8/2004.

Treble-bar  
Double brooded. 3/6-13/6/2004. Three singles. 16/7-26/8/2004. Three singles.

Lesser Treble-bar  
Double brooded. One on 26/5/2004. One on 3/8/2004.

Small Yellow Wave

Singles on 7/7 and 15/7/2004.

Seraphim

One on 15/5/2004. The 1st record for the area.

Yellow-barred Brindle

Double brooded. 13/5-1/7/2004. Singles on seven dates with 2 on 9/6.  
9/8-4/9/2004. Singles on seven dates.

Magpie

Although single brooded, a strange phenology this year.  
11/6-26/6/2004. 1-4 on nine dates with 7 on 15/6. Then 1-2 on four dates from 5/7-16/7 and finally, 1-7 on many dates from 23/7-23/8/2004.

Clouded Border

Singles on 16/7 and 21/7/2004.

Scorched Carpet

Double brooded. One on 19/5/2004. Singles on 14/7 and 13/8/2004.

Peacock

A single from each generation on 8/6 and 10/8/2004.

Sharp-angled Peacock.

Only the 2nd brood noted. 29/7-14/8/2004. Singles on four dates with 2 on 5/8/2004.

Tawny-barred Angle.

Double brooded. Singles on 20/6 and 27/6/2004. Singles on 15/7, 4/8 and 9/8/2004.

Latticed Heath

A record year and some exceptional numbers.  
11/7-30/7/2004. 1-8 on fourteen dates. 6/8-23/8/2004. 1-4 on eight dates.  
Daily from 25/8-5/9/2004, with 258 on 25/8 and 183 on 30/8, the remaining counts of 3-38.  
Finally a single on 15/9/2004.

Scorched Wing

One on 31/5/2004.

Brimstone

Double brooded. 3/5-1/7/2004. 1-8 on many dates. 29/7-10/9/2004. 1-9 on most nights during August and 1-3 during September.  
One on 29/9 may have been from a partial 3rd brood.

Early Thorn

Double brooded. One on 1/4/2004. 14/7-5/8/2004. Singles on seven dates.

Scalloped Hazel

Singles on 19/5, 24/5 and 5/6/2004.

Scalloped Oak

30/6-21/8/2004. 1-5 on most nights with 8 on 23/7/2004.

Swallow-tailed Moth

5/7-8/8/2004. 1-6 on most nights with 9 on 16/7 and 10 on 23/7/2004.

Feathered Thorn

Singles on 21/10, 16/11 and 23/11/2004.

Orange Moth

One on 3/7/2004. The 1st record for the area.

Peppered

6/6-5/8/2004. 1-3 on twenty-seven dates. Only one of the dark form.

Dotted Border

One on 1/5/2004.

Waved Umber

29/5-16/6/2004. 1-2 on eleven dates.

Willow Beauty

Double brooded. 31/5-30/6/2004. 1-5 on eight dates. 11/7-14/9/2004. 1-3 on eleven dates during July, 1-10 on most nights during August and 1-5 on six dates in September. Late singles on 26/9 and 5/10/2004.

Mottled Beauty

9/6-22/7/2004. 1-4 on twenty dates.

Common White Wave

One on 16/8/2004.

Common Wave

One on 8/8/2004.

Clouded Silver

29/5-9/8/2004. 1-4 on twenty-four dates.

Light Emerald

Double brooded. 24/5-22/6/2004. 1-10 on sixteen dates with 14 on 9/6. 23/8-17/9/2004. 1-4 on fifteen dates.

Yellow Belle

Double brooded. Three on 23/5/2004. 9/8-5/9/2004. Singles on four dates.

Convolvulus Hawk

Migrant. Singles on 3/8, 8/8, 3/9 and 21/9/2004.

Privet Hawk

One on 11/7/2004.

Pine Hawk

One on 14/7/2004. The first record for the area.

Lime Hawk

2/5-26/7/2004. Singles on seven dates.

Eyed Hawk

19/5-25/7/2004. Singles on nine dates.

Poplar Hawk

13/5-11/8/2004. 1-2 on nineteen dates with 3 on 15/7/2004. A total of 24.

Hummingbird Hawk

Migrant. Singles taken at light on 7/6 and 6/8/2004. Occasionally seen by day.

Striped Hawk

Migrant. Singles on 13/6 and 15/6/2004.

Elephant Hawk

6/6-21/7/2004. Singles on seven dates.

Small Elephant Hawk

18/5-16/6/2004. 1-4 on fourteen dates with 6 on 29/5/2004. A total of 33.

Buff-tip

2/7-16/7/2004. Singles on four dates with 2 on 15/7/2004.

Iron Prominent

One on 15/8/2004.

Swallow Prominent

Double brooded. Singles on 15/5 and 24/6/2004.

5/8-31/8/2004. 1-2 on six dates with 3 on 14/8/2004.

Coxcomb Prominent

One on 14/7/2004.

Maple Prominent

One on 12/6/2004.

Pale Prominent

Double brooded. 3/5-8/6/2004. Singles on three dates. Singles on 22/7 and 27/7/2004.

Vapourer

One on 11/9/2004. Regularly seen flying by day from late summer and throughout the autumn

Pale Tussock

Singles on 9/5, 5/6 and 9/6/2004.

Brown-tail

1/7-10/8/2004. 1-7 on most nights.

Yellow-tail

1/7-3/8/2004. Singles on eight dates with 3 on 15/7/2004.

Dotted Footman

Migrant. One on 14/8/2004.

Dingy Footman

7/7-17/8/2004. 1-3 on twenty-two dates with 4 on 22/7/2004.

Pigmy Footman

One 'pygmaeola' type on 28/7/2004 and one 'pallifrons' type on 29/7/2004.

Scarce Footman

1/7-23/8/2004. Most nights, including 10-23 on fourteen dates with a peak of 33 on 23/7/2004

Common Footman

29/6-11/8/2004. Most nights, including 10-33 on fourteen dates, 55-60 on three dates and 67 on 22/7/2004.

Garden Tiger

16/7-15/8/2004. Singles on six dates with 2 on 12/8/2004.

White Ermine

23/5-15/6/2004. 1-2 on twelve dates.

Buff Ermine

One on 19/5, then 1-6 nearly every night from 6/6-9/8/2004 with 9 on 16/7/2004.

Muslin Moth

Two on 3/5 with singles on 13/5, 18/5 and 23/5/2004. Always a scarce moth here.

Ruby Tiger

Only the 2nd brood recorded. 15/7-16/8/2004. 1-3 on twenty-one dates.  
A further single on 11/9/2004.

Cinnabar

17/5-22/6/2004. Singles on eight dates. Occasionally seen by day from 6/5/2004.

Kent Black Arches

25/6-4/8/2004. 1-2 on twelve dates with 4 on 15/7/2004.

Short-cloaked Moth

7/7-22/7/2004. 1-2 on five dates.

Least Black Arches

Singles on 14/5, 31/5 and 9/6/2004.

White-line Dart

23/7-17/8/2004. 1-4 on every night.

Garden Tiger

One on 12/8/2004.

Archer's Dart

One on 24/8/2004.

Turnip

23/5-2/7/2004. 1-5 on many dates. 1-3 on nine dates 11/7-30/7 and then 1-4 on every night from 3/8-30/8 with 7 on 8/8. Finally, singles on fourteen dates from 2/9-27/10/2004 with 2 on 22/9.

Heart and Club

10/6-31/7/2004. Most nights, including 10-18 on ten dates with 22 on 25/6/2004.

Heart and Dart

23/5-10/8/2004. Every night until 30/7. Commonest during June, when 20-76 on twenty-three dates with 98 on 8/6 and 101 on 17/6/2004.

Dark Sword-grass

M	A	M	J	J	A	S	O
1	-	2	39	31	49	15	10

Migrant. Singles on 3/3, 18/5 and 30/5/2004. Then 1-4 on sixty-three dates from 3/6-29/10 with 7 on 12/8/2004.

Shuttle-shaped Dart

Appears to have been three generations. 3/5-17/6/2004. 1-9 on most nights.  
14/7-2/9/2004. Every night from 20/7. Counts of 11-21 on thirteen dates 29/7-16/8 with 34 on 8/8/2004. A partial third brood with six singles from 22/9-22/10. A late single on 11/11.

Sand Dart

5/6-29/6/2004. 1-2 on eleven dates.

Flame

7/6-26/7/2004. 1-9 on most nights.

Flame Shoulder

Double brooded. 9/5-1/7/2004. 1-2 on twelve dates. 13/7-28/8/2004. 1-2 on just four dates during July, then 1-10 on most nights from 3/8.

Large Yellow Underwing

24/5-15/11/2004. Every night from June-August and most nights during September. 1-39 during June, typically 10-69 from July-September with 122-212 on twelve dates during July/August. Peaks of 243 on 14/7 and 371 on 15/7. 1-4 regular in October, two singles in Nov.

Lesser Yellow Underwing

17/6-6/11/2004. 1-11 regular in June and on every night during July, when typically 1-40 with 51-86 on five dates and 112 on 21/7. 1-19 frequent during August. Every night during September, 23-49 on eight dates with 73 on 22nd. 1-11 on many dates throughout October.

Broad-bordered Yellow Underwing

27/6-22/9/2004. 1-7 on forty-five dates with 12 on 15/7 and 10 on 21/7/2004. A record year.

Langmaid's Yellow Underwing

Singles on 8/8 and 12/8/2004.

Lesser Broad-bordered Yellow Underwing

14/7-18/9/2004. Every night until 12/9. 2-15 during July. 34-98 on thirteen dates during August with 105-163 daily from 14th-18th. 1-12 during September.

Least Yellow Underwing

9/7-1/9/2004. 1-5 on most nights with 18 on 8/8/2004.

Pearly Underwing

Migrant. Four singles from 13/6-12/8/2004. Then 1-4 on sixteen dates 16/9-23/11, with 9 on 21/10/2004.

Small Square-spot.

An almost total collapse in the population of what is normally a common moth. Singles on 18/5, 7/8 and 26/8/2004 were the only records.

Setaceous Hebrew Character

Double brooded. Singles on 9/5 and 24/5, then 1-10 on most nights from 29/5-14/7/2004 with 15 on 8/6. One on 21/7. 30/7-3/10/2004. Commonest during August, when noted on every night, 10-33 on nineteen dates with 41 on 14th. Thereafter 1-10 on most nights.

Double Square-spot

11/7-24/7/2004. 1-2 on six dates.

Six-striped Rustic

5/8-5/9/2004. Singles on four dates.

Square-spot Rustic

23/7-12/10/2004. Every night during August/September. 20-49 on twenty dates with 59 on 23/8, 87 on 4/9 and 124 on 5/9/2004.

Nutmeg

A single migrant on 14/2/2004. Remainder of the records refer to residents. Double brooded. 24/5-28/6/2004. 1-2 on four dates. 7/7-26/8/2004. 1-5 on fifteen dates during July and on most nights during August. Further singles on 2/9 and 5/9/2004.

Shears

23/5-17/6/2004. 1-4 on nineteen dates - mostly during June.

Grey Arches

One on 17/7/2004. The 3rd record for the area.

White Colon

Singles on 28/6 and 5/7/2004.

Cabbage

Double brooded. One on 18/4, then 1-2 on five dates from 3/6-24/6/2004.  
8/7-5/10/2004. 1-3 on many dates during July and 1-12 on every night during August with  
15 on 9th. Just four singles from 4/9/2004.

Dot

30/6-12/8/2004. 1-10 on most nights during July, 1-3 on most nights during August.

Light Brocade

One on 6/6/2004.

Dog's Tooth

Double brooded. One on 4/6 and 15/7/2004. Two on 8/8 and 1 on 11/8/2004.

Bright-line Brown-eye

Two overlapping broods. 9/5-17/9/2004. 1-4 on seven dates during May, 1-12 nearly every night  
during June and 1-20 every night during July. After-which 1-7 on most nights.

Broad-barred White

10/6-18/8/2004. 1-2 on thirteen dates, most during July.

Tawny Shears

One on 7/7/2004.

Varied Coronet

One on 3/7/2004.

Marbled Coronet

One on 2/6/2004.

Campion

Double brooded. 15/5-19/6/2004. Singles on five dates.  
13/7-17/9/2004. 1-3 on twenty-six dates – mostly during July.

Lychnis

Double brooded. 7/6-28/6/2004. 1-2 on five dates.  
15/7-16/8/2004. Singles on seven dates with 2 on 9/8/2004.

Pine Beauty

One on 3/3/2004.

Small Quaker

Eight on 1/4/2004 and 1 on 2/4/2004.

Blossom Underwing.

Migrant. One on 1/4/2004. The only other records were in 1999.

Powdered Quaker

One on 1/4/2004.

Common Quaker

One on 15/2/2004. 4/3-28/5/2004. 1-6 on twenty-five dates with 10 on 1/4/2004.

Clouded Drab

Two on 1/4/2004 and singles on four dates from 2/4-15/5/2004.

Twin-spotted Quaker

Singles on 3/3 and 2/4/2004.

Hebrew Character

27/3-6/5/2004. 1-4 on ten dates with 10 on 12/4/2004.

Brown-line Bright-eye

14/7-8/8/2004. 1-3 on most nights.

Clay

29/6-16/8/2004. 1-6 on most nights, commonest during July.

White-point

A migrant and recent colonist. Most records refer to a resident population.

Double brooded. 29/5-24/6/2004. 1-2 on four dates totalling 5. 4/8-5/9/2004. 1-6 nearly every night with 11 on 14/8. A total of 68 during this period. Further singles on 17/9, 12/10 and 4/11.

Delicate

Migrant. One on 3/8/2004. Five singles from 4/10-29/10 with 2 on 21/10/2004.

Southern Wainscot

Singles on 28/7 and 8/8/2004.

Smoky Wainscot

Overlapping broods. 23/5-10/8/2004. 1-2 on three dates in May, 1-4 on twelve dates during June and on every night during July with 10-21 on eleven dates. Then 1-8 on every night until 10/8. Further singles on 23/8, 30/8 and 4/9/2004.

Common Wainscot

Double brooded. 19/5-17/6/2004. 1-4 on twelve dates. One on 29/7, then every night from 5/8-31/8, including 10-25 on twelve dates. In September, 1-8 on most nights until the 10th.

Mathew's Wainscot

One on 30/8/2004.

L-album Wainscot

Double brooded. 5/6-29/7/2004. 1-2 on six dates during June and then 1-6 on most nights in July. 5/9-21/10/2004. 1-6 on most nights.

White-speck

Migrant. One on 21/10/2004.

Shoulder-striped Wainscot

Singles on 11/6 and 13/6/2004. Last recorded in 2001.

Wormwood

Singles on 15/7 and 29/7/2004.

Chamomile Shark

One on 9/5/2004.

Shark

7/6-29/7/2004. 1-2 on twelve dates.

Star-wort

14/7-8/8/2004. Singles on five dates.

Minor Shoulder-knot

One on 14/7/2004. The 1st record for the area.

Feathered Brindle

One on 5/10/2004.

Deep Brown Dart

Singles on 25/9, 27/9 and 1/10/2004. A marked decline since 2002.

Black Rustic

14/9-21/10/2004. 1-2 on fifteen dates with 3 on 20/9/2004.

Blair's Shoulder-knot

26/9-16/11/2004. 1-3 on eighteen dates with 5 on 12/10/2004.

Early Grey

15/3-23/5/2004. 1-8 on twenty dates with 12 on 12/4 and 16 on 16/4/2004.

Green-brindled Crescent

Two on 21/10/2004 was the only record.

Brindled Green

Singles on 3/9 and 22/9/2004.

Feathered Ranunculus

One on 5/8/2004, then 1-9 on most nights from 28/8-22/10 with 19 on 25/9 and 23 on 27/9/2004.

Satellite

One on 19/10/2004.

Chestnut

Singles of the over-wintering generation on 2/1 and 16/3/2004.

In the autumn, singles on 24/10 and 23/12 2004.

Dark Chestnut

Singles on 4/10, 21/10 and 6/11/2004.

Red-headed Chestnut

Migrant. One on 7/11/2004. The 1st record for the area.

Brick

Singles on 10/9 and 19/9/2004, further singles on four dates from 21/10-29/11 with 2 on 22/11/2004.

Red-line Quaker

One on 21/10/2004.

Yellow-line Quaker

One on 14/10/2004.

Beaded Chestnut

14/9-4/10/2004. Singles on four dates with 2 on 22/9/2004.

Centre-barred Sallow

One on 16/9/2004.

Lunar Underwing

8/9-7/10/2004. 1-10 on most nights with 14 on 26/9/2004.

Barred Sallow

Singles on 4/10-19/10/2004.

Sallow

One on 26/9/2004.

Pale Lemon Sallow

One on 27/9/2004. The 2nd record for the area.

Poplar Grey

26/6-8/8/2004. Singles on nine dates.

Sycamore

14/6-24/7/2004. Singles on four dates.

Grey Dagger

One on 9/6/2004, then singles on seven dates from 14/7-12/8 with 2 on 8/8/2004. Very poor.

Knot Grass

Double brooded. One on 8/5 and 2 on 19/5/2004. 16/7-12/8/2004. Singles on seven dates.

Tree-lichen Beauty

Migrant. Singles on 3/8, 11/8 and 14/8 with 2 on 14/8/2004.

Marbled Beauty

11/7-5/9/2004. 1-8 on most nights with 10 on 16/7. Commonest during August.

Marbled Green

15/7-23/8/2004. 1-9 on most nights with 10 on 8/8 and 15/8/2004.

Copper Underwing

One on 24/7/2004 and then from 7/8-25/9/2004. 1-3 on most nights during August with 5 on 15th. During September, 1-2 on many dates. A late single on 8/10/2004.

Mouse

15/7-18/9/2004. Singles on five dates in July with 4 on 31st. Then 1-7 on every night from 1/8-5/9, regularly 1-2 there-after. A further single on 2/10/2004.

Old Lady

Singles on 28/8, 4/9 and 5/9/2004.

Brown Rustic

One 6/6/2004.

Straw Underwing

30/7-4/9/2004. Nearly every night, including 10-17 on six dates and a peak of 21 on 16/8/2004.

Angle Shades

One on 13/2/2004 may have been a migrant. At least double brooded. 6/5-5/7/2004.

1-3 on eight dates in May and then on nearly every night.

6/8-23/11/2004. 1-10 on nearly every night in August with 14 on 16/8. 1-9 on many dates during September/October with 11 on 12/10 and 12 on 21/10. Just three singles during November.

Olive

Singles on 5/8 and 14/8/2004.

Dingy Shears

Singles on 15/7 and 30/7/2004.

Lesser-spotted Pinion

16/7-18/8/2004. Singles on seven dates with 2 on 14/8/2004.

Dun-bar

14/7-23/8/2004. 1-5 on most nights with 9 on 8/8/2004.

Dark Arches

31/5-21/8/2004. Every night from 2/6-15/8. 20-35 on seventeen dates, 45 on 29/6, 48-69 on six dates from 14/7-22/7 and a peak of 78 on 23/7/2004.

Light Arches

Singles on 11/6 and 25/6/2004, then 1-4 on sixteen dates from 3/7-29/7/2004.

Clouded Brindle

Singles on 20/6, 4/7 and 15/7/2004.

Dusky Brocade

12/6-22/7/2004. 1-3 on many dates with 5 on 27/6 and 4 on 15/7/2004.

Small Clouded Brindle

Singles on 4/6 and 28/6/2004.

Large Nutmeg

One on 14/6/2004. Last recorded in 1990.

Rustic Shoulder-knot

16/5-16/6/2004. Singles on sixteen dates with 2 on 7/6/2004.

Slender Brindle

One on 15/7/2004.

Marbled Minor

25/5-5/7/2004. Most nights, including 20-43 on twelve dates.

Tawny Marbled Minor

24/5-22/7/2004. Every night from 29/5-5/7. 10-20 on eleven dates with 32 on 15/6/2004.

Middle-barred Minor

7/6-19/6/2004. Singles on three dates, 6 on 14/6 and 2 on 16/6/2004.

Cloaked Minor

Singles on 26/6 and 7/7/2004, then from 14/7-9/9/2004. Every night until 28/8. 1-8 during July, with 10-25 on twelve dates during August and a peak of 33 on 17/8.

Rosy Minor

15/7-8/8/2004. Singles on four dates.

Common Rustic

1/7-1/9/2004. Every night from 9/7-28/8. 20-58 on twenty dates with 126 on 8/8.

Lesser Common Rustic

14/7-19/8/2004. 1-4 on twenty-one dates.

Small Wainscot

One on 3/8/2004. The 3rd record for the area.

Dusky Sallow

15/7-5/8/2004. 1-3 on eleven dates.

Flounced Rustic

22/7-15/9/2004. Every night from 2/8. 20-58 on twenty dates.

Saltern Ear

Singles on 31/7 and 11/8/2004.

Rosy Rustic

5/8-21/8/2004. 1-2 on twelve dates. A further single on 27/9/2004.

Crescent

One on 9/8/2004.

Large Wainscot

27/9-3/11/2004. Singles on four dates.

Treble Lines

15/5-17/6/2004. Every night, including 10-24 on fifteen dates.

Uncertain

14/6-15/8/2004. 1-9 on many nights during June, then every night until 11/8, including 20-53 on seventeen dates.

Rustic

1/7-14/8/2004. 1-12 on nearly every night.

Vine's Rustic

Double brooded. 8/5-4/7/2004. In May, 1-12 on most nights from 17th. 1-17 on every night during June with 21 on 5th. Two on 16/7 could have been from either brood.

29/7-28/9/2004. Every night from 3/8-25/9. Commonest during August when 23-51 on sixteen dates with a peak of 63 on 25/8. A late single on 20/10/2004.

Small Mottled Willow

Migrant. Two on 13/2/2004. Part of a large immigrant influx to the South coast.

Typical records of 2 on 12/8 and 1 on 17/8/2004.

Mottled Rustic

13/5-27/7/2004. Just four dates during May, then every night until 24/7, including 1-26 on twenty-eight dates.

Pale Mottled Willow

One on 13/2/2004 may have been a migrant. Overlapping broods, 6/5-22/10/2004. 1-6 on many dates in May, then 1-9 on every night from June-August with 17 on 24/8 and 14 on 26/8.

1-7 on most nights during September with just four singles in October.

Silky Wainscot

One on 16/7/2004. The 3rd area record.

Bordered Sallow

7/6-20/7/2004. Singles on eight dates with 4 on 15/7 and 2 on 16/7/2004.

Scarce Bordered Straw

Migrant. 11/8-21/10/2004. Singles on seven dates with 2 on 22/9/2004.

Bordered Straw

Migrant. Two on 8/6 and 1 on 16/6/2004. In the autumn, singles on four dates 13/8-17/9 with 2 on 14/8/2004.

Cream-bordered Green Pea

Singles on 3/8, 7/8 and 12/8/2004.

Green Silver-lines

One on 15/7/2004.

Oak Nycteoline

One on 28/7/2004.

Golden Twin-spot

Migrant. Singles on 10/9 and 15/10/2004.

Burnished Brass

Double brooded. 5/7-16/7/2004. Singles on four dates with 2 on 15/7/2004.  
9/8-16/9/2004. Singles on seven dates. Very poor.

Dewick's Plusia

Migrant. One on 4/10/2004. The only other record was in 1993.

Gold Spot

One on 12/8/2004.

Silver Y

M	J	J	A	S	O	N	D
2	89	174	282	51	37	10	4

Migrant from which a local breeding population is produced. 23/5-10/12/2004.  
Nearly every night from June-August, mostly in small numbers with just two counts exceeding 20.  
84 on 8/8 and 23 on 9/8/2004. Regular but in single figures for the remainder of the year.

Dark Spectacle

Two overlapping broods. 29/5-19/9/2004. 1-3 on thirty-two dates. Commonest in June/August.

Spectacle

Double brooded. 18/5-11/6/2004. 1-2 on seven dates. 30/6-25/8/2004. 1-3 on seventeen dates.  
A further single on 16/9/2004.

Red Underwing

Singles on 9/9, 29/9 and 3/10/2004.

Herald

Singles on 13/7, 15/7 and 9/8/2004.

Straw Dot

Double brooded. One on 28/6/2004. 4/8-16/8/2004. Singles on four dates.

Snout

Double brooded. 27/6-8/8/2004. Singles on eight dates. 30/8-18/9/2004. Singles on five dates.

Fan-foot

7/7-23/7/2004. 1-2 on seven dates with 4 on 22/7/2004.

Small Fan-foot

One on 15/7/2004.

## Microlepidoptera

### Pyralids

Chilo phragmitella

One on 16/7/2004.

Chrysoteuchia culmella

27/5-14/8/2004. Common, nearly every night.

*Crambus pascuella*  
6/6-1/8/2004. 1-10 on thirteen dates in June, with 16 on 15/6 and 1-10 on most nights in July.

*Crambus lathoniellus*  
27/5-26/6/2004. 1-14 on seventeen dates with 23 on 9/6.

*Crambus perlella*  
28/5-2/9/2004. 1-3 on twelve dates during May/June, after-which most nights and common.

*Agriphila selasella*  
10/8-31/8/2004. Singles on five dates with 2 on 14/8 and 5 on 16/8/2004.

*Agriphila straminella*  
14/6-30/8/2004. 1-3 on six dates in June, after-which most nights and fairly common until 22/8, just one further single.

*Agriphila tristella*  
3/8-16/9/2004. In small numbers on most nights until 5/9, only one further single. Less common than recent years.

*Agriphila latistria*  
One on 21/8/2004.

*Agriphila geniculea*  
11/7-19/9/2004. 1-4 on seven dates in July. After-which nearly every night and often abundant. Sample counts of 463 on 16/8 and 586 on 23/8/2004.

*Pediasia contaminella*  
17/7-4/9/2004. 1-2 on seven dates.

*Platytes cerussella*  
Singles on 6/6, 8/6 and 14/6 with 2 on 13/6/2004.

*Schoenobius gigantella*  
One on 6/6/2004.

*Acentria ephemerella*  
Two on 16/7 and 1 on 12/8/2004.

*Scoparia subfusca*  
17/6-3/8/2004. 1-2 on eight dates.

*Scoparia pyralella*  
29/5-18/7/2004. 1-18 on most nights in June, 1-3 on four dates in July.

*Scoparia ambigualis*  
5/6-31/7/2004. Most nights and common. Counts exceeding 15.

*Scoparia basistrigalis*  
One on 16/7/2004. The 1st record for the area.

*Eudonia pallida*  
7/6-21/7/2004. Singles on seven dates with 4 on 9/6 and 2 on 14/7. A late single on 4/9/2004.

*Dipleurina lacustrata*  
9/6-12/8/2004. 1-3 on eighteen dates.

*Eudonia truncicolella*  
One on 22/7/2004. The 1st record for the area.

Eudonia angustea  
Double brooded. 4/6-16/6/2004. 1-6 on every night. 9/8-21/10/2004. 1-6 on many dates in August and September. 1-3 on eight dates during October.

Eudonia mercurella  
10/6-19/8/2004. 1-2 on four dates in June. Most nights and common thereafter, with counts exceeding 15.

Elophila nymphaeata *Brown China-mark*  
One on 16/7/2004.

Parapoynx stratiotata *Ringed China-mark*  
14/6-12/8/2004. Singles on four dates.

Evergestis forficalis *Garden Pebble*  
Double brooded. 16/5-7/7/2004. 1-2 on five dates in May and then 1-3 on many dates. 3/8-3/9/2004. 1-4 on most nights.

Evergestis extimalis  
27/6-5/9/2004. 1-12 on most nights with 14 on 9/8/2004.

Pyrausta aurata  
Double brooded. One on 16/6/2004. 25/7-1/9/2004. 1-4 on twelve dates.

Pyrausta purpuralis  
Two on 10/7 and 1 on 4/9/2004.

Pyrausta despicata  
15/7-17/8/2004. Singles on seven dates.

Loxostege sticticalis  
Migrant. One on 25/8/2004.

Ostrinia nubilalis *European Corn-borer*  
7/6-30/7/2004. 1-3 on seventeen dates.

Eurrhpara hortulata *Small Magpie*  
10/6-11/8/2004. Common, particularly during July when noted on most nights.

Phlyctaenia coronata  
29/6-19/8/2004. Common and noted on most nights, counts exceeding 15.

Ebulea crocealis  
One on 9/6/2004.

Udea prunalis  
17/6-25/7/2004. Singles on four dates with 2 on 21/7/2004.

Udea olivalis  
27/5-1/7/2004. 1-8 on just twelve dates.

Udea ferrugalis *Rusty-dot Pearl*

A	S	O	N	D
9	7	21	11	1

Migrant. 12/8-4/12/2004. 1-3 on thirty-three dates with 5 on 29/10/2004.

Nomophila noctuella		<i>Rush Veneer</i>			
	J	J	A	S	O
	4	5	24	5	2

Migrant. 9/6-30/10/2004. 1-3 on just thirty dates.

Pleuroptya ruralis *Mother of Pearl*  
15/7-19/8/2004. 1-8 on most nights.

Palpita unionalis  
Migrant. One on 22/10/2004.

Hypsopygia costalis *Gold Triangle*  
9/6-4/9/2004. 1-3 on seventeen dates.

Synaphe punctalis  
One on 21/7 and 2 on 29/7/2004.

Orthopygia glaucinalis  
Singles on 21/7, 25/7 and 2/8 with 2 on 29/7/2004.

Pyralis farinalis *Meal Moth*  
1/6-16/8/2004. Singles on six dates.

Aglossa pinguinalis *Large Tabby*  
One on 21/7/2004.

Endotricha flammealis  
6/6-20/8/2004. 1-3 on five dates in June. Common in July, common and every night during August. AA late single on 1/9/2004.

Aphomia sociella *Bee Moth*  
29/5-12/8/2004. 1-7 on most nights with 12 on 14/6/2004.

Anerastia lotella  
Singles on 16/6 and 22/7/2004.

Conobathra tumidana  
Migrant. One on 9/8, 2 on 10/8 and 1 on 15/8/2004. The 1st records for the area.

Conobathra repandana  
26/6-17/8/2004. Singles on five dates.

Conobathra consociella  
One on 25/7/2004. The 1st record for the area.

Trachycera suavella  
15/7-20/8/2004. 1-4 on seventeen dates.

Trachycera advenella  
5/7-26/8/2004. 1-12 on most nights.

Oncocera semirubella  
Singles on 23/7 and 26/7/2004.

Nephoterix angustella  
Double brooded. One on 15/6/2004. Singles on 5/8, 14/8 and 26/8/2004.

Phycita roborella  
25/7-15/8/2004. Singles on seven dates with 2 on 6/8/2004.

Dioryctria abietella  
One on 14/7/2004.

Hypochoalcia ahenella  
26/5-7/7/2004. 1-2 on twelve dates with 4 on 15/6/2004.

Myelois circumvoluta *Thistle Ermine*  
8/6-26/7/2004. 1-4 on eight dates in June and 1-5 on most nights during July.

Gymnancyla canella  
21/7-11/8/2004. Singles on four dates.

Ancylosis oblitella  
Singles on 22/7 and 28/8/2004.

Euzophera pinguis  
5/7-15/8/2004. Singles on seven dates.

Ephestia parasitella  
29/5-7/8/2004. 1-12 on most nights May/June and on every night during July with counts exceeding 20. Small numbers in early August.

Vitula biviella  
One on 19/7/2004. The 3rd area record.

Homoeosoma sinuella  
3/6-14/8/2004. 1-7 on many dates June/July. Just two singles in August.

Phycitodes binaevella  
11/7-25/7/2004. Singles on six dates with 2 on 12/7/2004.

Phycitodes maritima  
One on 19/5/2004.

### **Tortrix**

Phalonidia affinitana  
Singles on 5/6 and 20/7/2004.

Cochylimorpha alternana  
Singles on 3/8 and 12/8/2004.

Cochylimorpha straminea  
Singles on 2/8 and 2/10/2004.

Agapeta hamana  
7/6-23/8/2004. 1-6 on most nights.

Aethes tesserana  
One on 29/5, 2 on 25/6 and 3 by day on 19/7/2004.

Aethes hartmanniana  
Recorded by day on the Golf Course from 13/5/2004 until the end of June.

Aethes williana  
One by day on the Golf Course on 30/5/2004.

*Aethes smeathmanniana*  
One on 11/6/2004 and four singles from 3/8-9/8/2004.

*Aethes beatricella*  
6/6-5/7/2004. 1-10 on most nights with 24 on 9/6/2004.

*Eupoecilia angustana*  
6/6-7/8/2004. 1-3 on twelve dates.

*Cochylis dubitana*  
Double brooded. 29/5-4/7/2004. Singles on four dates. 6/8-1/9/2004. Singles on three dates.

*Cochylis hybridella*  
29/5-5/9/2004. Common in June with counts exceeding 10. 1-3 on many nights in July and 1-8 on most nights during August.

*Cochylis atricapitana*  
Double brooded. 10/5-16/6/2004. 1-3 on fourteen dates.  
15/7-5/9/2004. 1-2 on nine dates during July and 1-6 on many dates during August.

*Cochylis nana*  
Singles on 15/6, 27/6 and 5/7/2004.

*Pandemis cerasana*  
14/6-23/8/2004. 1-3 on just eleven dates.

*Pandemis heparana*  
14/7-17/8/2004. 1-2 on five dates in July and 1-4 on most nights during August. One on 25/9.

*Archips podana*  
14/6-23/8/2004. 1-2 on twenty-two dates. One on 16/9/2004.

*Cacoecimorpha pronubana* *Carnation Tortrix*  
Double brooded. Two on 24/5 and singles on 14/6 and 16/6/2004.  
Singles on 11/8, 23/8 and 10/9/2004.

*Aphelia paleana* *Timothy Tortrix*  
Singles on 15/6, 22/7 and 29/7/2004.

*Clepsis spectrana* *Cyclamen Tortrix*  
Singles on 5/7 and 3/8/2004.

*Clepsis consimilana*  
Twenty on 14/6, then 1-7 on six dates from 15/6-29/6/2004. Common and on most nights during July and 1-5 on many dates from 2/8-17/8. Further singles on 27/9 and 30/9/2004.

*Epiphyas postvittana* *Light Brown Apple Moth*  
2/1-31/12/2004.

*Adoxophyes orana* *Summer Fruit Tortrix*  
Singles on 2/8 and 12/8/2004.

*Lozotaeniodes formosanus*  
14/6-12/8/2004. 1-6 on twenty-seven dates with 8 on 16/7/2004. Commonest during July.

*Lozotaenia forsterana*  
8/6-22/7/2004. 1-3 on ten dates.

*Ditula angustiorana*  
8/6-22/7/2004. 1-2 on just seven dates.

*Pseudargyrotoza conwagana*

Double brooded. 31/5-11/6/2004. Singles on four dates with 2 on 7/6. 15/7-12/8/2004.  
Singles on four dates with 2 on 3/8. A late single on 1/10/2004.  
Common by day in the vicinity of Wild Privet.

*Cnephasia stephensiana* *Grey Tortrix*  
29/6-6/8/2004. Frequent in small numbers.

*Cnephasia asseclana* *Flax Tortrix*  
30/6-2/8/2004. 1-3 on six dates.

*Cnephasia incertana* *Light Grey Tortrix*  
15/6-3/8/2004. 1-5 on nine dates.

*Aleimma loeflingiana*  
One on 14/6/2004.

*Tortrix viridana* *Green Oak Tortrix*  
8/6-29/6/2004. 1-5 on most nights.

*Acleris forsskaleana*  
15/7-18/8/2004. 1-10 on most nights with 14 on 6/8/2004.

*Acleris sparsana*  
One on 15/10/2004.

*Acleris rhombana*  
Singles on 1/9, 4/9 and 5/9/2004.

*Acleris variegana*  
21/7-12/10/2004. Five singles during July and then 1-6 on many dates.

*Acleris kochiella*  
Two on 22/7 with singles on 5/8, 8/8 and 12/8/2004.

*Acleris cristana*  
Singles on 11/8 and 20/10/2004.

*Celypha striana*  
3/6-10/8/2004. 1-3 on many dates with 4 on 14/6/2004.

*Celypha lacunana*  
4/6-9/9/2004. 1-8 on many dates.

*Perinephla bifasciana*  
Singles on 7/7 and 7/8/2004.

*Hedya pruniana*  
29/5-15/7/2004. 1-4 regularly recorded although infrequent after 17/6.

*Hedya nubiferana*  
8/6-29/6/2004. Singles on six dates.

*Hedya salicella*  
One on 10/8/2004.

*Endothenia quadrimaculana*  
One on 17/7/2004.

Lobesia abscisana  
25/6-7/8/2004. 1-3 on fourteen dates.

Lobesia littoralis  
Double brooded. Singles on 9/6 and 29/6/2004.  
17/8-5/9/2004. Singles on four dates with 3 on 24/8/2004.

Bactra robustana  
Singles on 11/6, 14/6 and 2/8/2004.

Eudemis profundana  
14/7-31/7/2004. Singles on six dates.

Ancylis achatana  
15/6-24/7/2004. 1-3 on many dates with 10 on 5/7/2004.

Epinotia bilunana  
One on 16/6/2004.

Epinotia nisella  
Singles on 22/7 and 23/8/2004.

Epinotia tenerana  
One on 14/8/2004.

Epinotia nanana  
One on 9/7/2004.

Epinotia abbreviana  
Singles on 15/6, 16/6 and 5/7/2004.

Crociosema plebejana  
6/8-23/11/2004. Singles on five dates.

Zeiraphera ratzeburgiana  
One on 5/9/2004.

Zeiraphera isertana  
8/7-29/7/2004. Singles on five dates with 2 on 16/7/2004.

Gypsonoma aceriana  
One on 28/6/2004.

Gypsonoma sociana  
One on 16/6 and 2 on 16/7/2004.

Gypsonoma dealbana  
One on 12/8/2004.

Gypsonoma minutana  
Singles on 19/7 and 4/8/2004.

Epiblema cynosbatella  
24/5-15/6/2004. 1-6 on most nights.

Epiblema uddmanniana *Bramble Shoot Moth*  
11/6-15/7/2004. 1-3 on twelve dates with 4 on 15/6. A further single on 3/8/2004.

Epiblema trimaculana  
9/6-25/6/2004. 1-3 on seven dates with 5 on 16/6/2004.

*Epiblema roborana*  
One on 4/8/2004.

*Epiblema foenella*  
9/7-11/8/2004. 1-3 on nine dates.

*Epiblema costipunctana*  
One on 6/6/2004.

*Eucosma conterminana*  
Singles on 3/8 and 7/8/2004.

*Eucosma tripoliana*  
One on 11/8/2004.

*Eucosma metzneriana*  
One on 25/6/2004.

*Eucosma campoliliana*  
One on 13/6/2004, then four singles from 11/7-30/7 with 2 on 3/8/2004.

*Eucosma hohenwartiana*  
4/7-19/7/2004. Singles on four dates.

*Eucosma fulvana*  
11/6-17/7/2004. Singles on eleven dates.

*Eucosma cana*  
7/6-3/8/2004. 1-6 on many dates with 8 on 26/6/2004.

*Thiodia citrana*  
Singles on 12/7 and 21/7/2004.

*Spilonota ocellana*  
15/6-16/8/2004. Just two dates during June and then 1-15 on most nights.

*Clavigesta purdeyi*  
One on 29/7/2004.

*Rhyacionia pinicolana*  
One on 23/7/2004.

*Lathronympha strigana*  
One on 11/7/2004.

*Collicularia microgrammana*  
One on 14/7/2004.

*Pammene aurita*  
Singles on 16/7 and 9/8/2004. Common by day amongst Sycamores on 15/8/2004.

*Pammene regiana*  
One by day on 24/5/2004.

*Pammene fasciana*  
29/6-30/7/2004. 1-8 on most nights with 12 on 21/7/2004.

*Grapholita compositella*  
One by day on 13/5/2004.

- Grapholita janthinana*  
Singles on 15/7 and 16/8 with 3 on 29/7/2004.
- Grapholita funebrana*  
9/7-29/7/2004. Singles on four dates with 2 on 15/7/2004.
- Cydia splendana*  
15/7-15/9/2004. 1-6 on many nights with 10 on 24/7/2004.
- Cydia pomonella* *Codling Moth*  
29/6-4/9/2004. 1-4 on twenty-one dates.
- Cydia amplana*  
Migrant. Two on 8/8 and 1 on 11/8/2004. The 1st Kent record was at Kingsdown on 6/8/2004
- Dichrorampha petiverella*  
One on 16/7/2004.
- Dichrorampha acuminatana*  
One by day on 13/5/2004. Singles at light on 3/8 and 9/8/2004.
- Dichrorampha simpliciana*  
Six by day on 19/7/2004. Four singles at light from 1/8-28/8/2004.
- Remaining Families**
- Etainia decentella*  
Two on 9/6 with singles on 11/6, 23/7 and 6/8/2004.
- Ectoedemia agrimoniae*  
5/12/2004. Mines in Agrimony leaves in a paddock near the College.
- Stigmella aurella*  
1/11/2004. Mines in Bramble leaves scattered throughout the area – rather scarce.
- Stigmella tityrella*  
1/11/2004. Mines in Beech leaves – Northdown Park.
- Stigmella suberivora*  
8/12/2004. Mines in Holm Oak leaves – Northdown Park.
- Stigmella anomalella*  
5/12/2004. Mines in Dog Rose leaves in a paddock near the College.
- Emmetia marginea*  
One at light on 8/6/2004. Mines in Bramble leaves along the cliff-top in November.
- Nemapogon cloacella*  
One on 11/6/2004.
- Monopis weaverella*  
Singles on 7/8 and 10/8/2004.
- Monopis obviella*  
24/5-23/10/2004. One on 24/5 and then 1-10 every night from 6/6-16/6/2004. Singles on four dates in July, three dates in August, one date in September and on five dates in October.

Monopis monachella  
Migrant. One on 19/5/2004.

Tinea semifulvella  
One on 9/6, 2 on 14/6 with further singles on 16/6 and 7/7/2004.

Tinea trinotella  
9/5-7/8/2004. 1-4 on fifteen dates. Commonest in June.

Leucoptera laburnella *Laburnum Leaf-miner*  
One on 16/7/2004.

Lyonetia clerkella  
11/6-23/8/2004. Singles on just nine dates.

Bedellia somnulentella  
14/10/2004. Vacated mines in Hedge Bindweed leaves on the Golf Course.

Caloptilia rufipennella  
14/7-12/8/2004. Singles on five dates with 2 on 28/7 and 3 on 29/7/2004.

Caloptilia syringella  
Singles on 10/5 and 14/5/2004. 26/6-10/9/2004. Singles on nine dates with 2 on 5/9/2004.

Aspilapteryx tringipennella  
One on 10/5/2004.

Parornix anglicella  
One on 31/5/2004.

Acrocercops brongniardella  
One at light on 16/7/2004. The first adult to be taken although mined Holm Oak leaves are readily found around the Golf Course.

Phyllonorycter messaniella  
Singles on 9/6, 17/9, 23/10 and 27/10/2004.  
Mined Holm Oak leaves can be found on the Golf Course.

Phyllonorycter oxyacanthae  
1/11/2004. Mines in Hawthorn leaves around the Golf Course.

Phyllonorycter spinicolella  
1/11/2004. Mines in Blackthorn leaves on the Golf Course.

Phyllonorycter leucographella *Firethorn Leaf-miner*  
One at light on 29/5/2004. Mines can be found in Pyracantha leaves throughout the area.

Phyllonorycter maestingella  
31/10/2004. Mines in Beech leaves – Northdown Park.

Phyllonorycter tristrigella  
31/10/2004. Mines in Elm leaves around the Golf Course and in Northdown Park.

Phyllonorycter platanoidella  
31/10/2004. Mines in Norway Maple leaves – Northdown Park.

Phyllonorycter geniculella  
One on 23/7/2004.

- Cameraria ohridella* *Horse Chestnut Leaf-miner*  
15/8/2004. Mines in Horse Chestnut leaves – Convent Road. A recent UK colonist.
- Phyllocnistis unipunctella*  
Mines in Poplar leaves throughout the area.
- Anthophila fabriciana* *Nettle-tap*  
One at light on 27/8/2004. Regular by day in the vicinity of Nettle.
- Glyphipterix simplicella* *Cocks-foot Moth*  
Singles at light on 6/6 and 10/6/2004. Very common by day from 6/5, most noticeably on Ox-eye Daisy flowers.
- Argyresthia goedartella*  
One on 8/8/2004.
- Argyresthia bonnetella*  
Singles on 11/6 and 23/6/2004.
- Argyresthia spinosella*  
One on 31/5/2004.
- Argyresthia pruniella*  
Singles on 9/8 and 16/8 with 3 on 10/8/2004.
- Yponomeuta evonymella* *Bird-cherry Ermine*  
Presumed migrant. 5/7-24/7/2004. Singles on four dates with 2 on 21/7/2004.
- Yponomeuta padella* *Orchard Ermine*  
14/7-29/7/2004. 1-3 on seven dates.
- Yponomeuta cagnagella* *Spindle Ermine*  
14/7-23/8/2004. Singles on five dates during July and 1-4 on sixteen dates during August.
- Paraswammerdamia lutarea*  
One on 16/6 and then 1-4 on thirteen dates from 5/7-7/8/2004.
- Scythropia crataegella*  
5/7-27/7/2004. 1-2 on five dates with 5 on 16/7/2004.
- Ypsolopha dentella* *Honeysuckle Moth*  
14/7-12/8/2004. Singles on five dates.
- Ypsolopha scabrella*  
21/7-26/8/2004. Singles on nine dates with 2 on 15/8/2004.
- Ypsolopha alpella*  
3/8-19/9/2004. 1-3 on twelve dates.
- Ypsolopha sylvella*  
Singles on 16/9 and 27/9/2004.
- Ypsolopha ustella*  
One on 12/10/2004.
- Ypsolopha sequella*  
Singles on 9/7, 17/8 and 23/8/2004.

*Ypsolopha vittella*

Singles on 15/8 and 26/8 with 2 on 23/8/2004.

*Plutella xylostella*

*Diamond back Moth*

F	M	A	M	J	J	A	S	O
1	-	-	3	50	24	102	9	9

Migrant. One on 14/2/2004. Then regular but only in very small numbers from 17/5-29/10/2004. Peaks of just 12 on 9/6 and 12/8/2004.

*Eidophasia messingiella*

Singles on 12/6 and 14/6 with 2 on 17/6/2004.

*Coleophora trifolii*

Singles on 5/7 and 8/7/2004.

*Coleophora deauratella*

Singles on 14/6, 20/7 and 24/7/2004.

*Coleophora discordella*

Two on 5/6 and 1 on 26/7/2004.

*Elachista atricomella*

One on 9/6/2004.

*Elachista rufocinerea*

One on 8/5/2004.

*Elachista argentella*

15/5-14/6/2004. 1-2 on six dates. Frequent by day from 6/5/2004.

*Batia lunaris*

14/7-21/7/2004. Singles on five dates.

*Batia unitella*

Singles on 7/6, 9/6 and 10/6/2004 and then 1-2 on fifteen dates from 5/7-12/8/2004.

*Borkhauseria fuscescens*

One netted by day on the Golf Course on 1/8/2004.

*Hofmannophila pseudospretella*

*Brown House Moth*

6/6-15/9/2004. 1-6 on many dates throughout with 8 on 4/8/2004.

*Endrosis sarcitrella*

*White-shouldered House Moth*

18/5-22/10/2004. 1-4 on thirty dates. Most frequent during June and August.

*Esperia sulphurella*

Primarily a day flying species and regularly seen as such.

One at light on 8/5 with 2 on 7/6/2004.

*Carcina quercana*

11/6-5/9/2004. Three singles during June and then 1-5 on many dates with 8 on 23/7/2004.

*Luquetia lobella*

One on 14/6/2004.

*Depressaria pastinacella*

*Parsnip Moth*

One on 1/4/2004. Larva can be found on Wild Parsnip on the Golf Course.

*Agonopterix heracliana*

Overwinters as an adult. Four on 16/3 and then 1-2 on five dates from 17/3-6/5/2004.  
One on 27/7/2004 was the only record of the new brood.

*Agonopterix ciliella*

Singles on 19/7 and 31/7/2004.

*Agonopterix subpropinquella*

Overwinters as an adult. 14/4-24/5/2004. 1-2 on eight dates with 6 on 17/5/2004.  
Singles on 31/7 and 4/8 with 2 on 15/8/2004.

*Agonopterix alstroemeriana*

Overwinters as an adult. Singles on 31/3 and 3/5/2004.  
Singles on 22/7 and 27/7 with 2 on 29/7/2004.

*Agonopterix propinquella*

One on 15/8/2004.

*Agonopterix arenella*

Overwinters as an adult. 1/4-15/6/2004. Singles on six dates with 2 on 14/5/2004.  
4/8-28/8/2004. Singles on five dates with 2 on 22/8/2004.

*Agonopterix scopariella*

One on 10/9/2004.

*Agonopterix nervosa*

One on 1/7/2004.

*Agonopterix yeatiana*

Overwinters as an adult. 14/4-17/6/2004. Singles on eleven dates.  
1/7-15/8/2004. Singles on five dates.

*Metzneria lappella*

21/6-24/7/2004. 1-3 on nine dates.

*Metzneria metzneriella*

Singles on 29/5, 23/7 and 29/7/2004.

*Apodia bifractella*

One on 7/7/2004.

*Eulamprotes wilkella*

One on 22/7/2004.

*Chrysoesthia drurella*

27/7-25/8/2004. Common by day on the Golf Course in an area with a considerable amount  
of Fat-Hen on which larval mines were abundant.

*Chrysoesthia sexguttella*

27/7/2004. Three swept by day from the Fat-Hen patch on the Golf Course.

*Athrips mouffetella*

One on 15/7/2004.

*Teleiodes vulgella*

14/6-22/7/2004. Singles on four dates.

*Bryotropha affinis*

Singles on 19/7 and 21/7/2004.

- Bryotropha desertella*  
One on 8/6/2004. 14/7-10/8/2004. Frequent in small numbers.
- Bryotropha terrella*  
29/5-13/8/2004. 1-6 on most nights in June, common throughout July and frequent in August.
- Bryotropha domestica*  
28/7-17/8/2004. Singles on six dates.
- Gelechia senticetella*  
Singles on 29/7 and 1/8/2004.
- Platyedra subcinerea*  
14/5-6/6/2004. Singles on four dates.
- Pexicopia malvella* *Hollyhock Moth*  
15/6-28/7/2004. Singles on eight dates – all but one in July.
- Scrobipalpa costella*  
One on 7/6/2004. Singles on 10/9 and 27/9/2004.
- Aproaerema anthyllidella*  
One on 17/5/2004.
- Dichomeris marginella* *Juniper Webber*  
14/6-2/8/2004. 1-6 on twenty-one dates with 8 on 16/7/2004.
- Helcystogramma rufescens*  
7/7-29/7/2004. 1-3 on seven dates.
- Oegoconia quadripuncta*  
13/6-15/8/2004. Singles on eight dates.
- Blastobasis lignea*  
5/7-17/9/2004. Common. Every night from 14/7-28/8/2004. Occasional during September.
- Blastobasis decolorella*  
Double brooded. 28/5-15/8/2004. 1-6 on most nights in June, common and on every night during July and on most nights until mid August.  
14/9-5/12/2004. Rather scarce with 1-2 on just fifteen dates.
- Blastodacna hellerella*  
7/6-16/7/2004. Singles on seven dates.
- Blastodacna atra*  
One on 14/7/2004.
- Alucita hexadactyla* *Twenty-plume Moth*  
Overwinters as an adult. One on 15/5/2004. 9/7-23/8/2004. 1-3 on eleven dates.
- Agdistis bennetii*  
One on 8/8/2004.
- Amblyptilia acanthadactyla*  
Singles on 15/6 and 9/8/2004.
- Platyptilia gonodactyla*  
One on 16/8/2004.

Pterophorus pentadactyla *White Plume Moth*  
Singles on 11/7, 12/7 and 16/7/2004.

Ovendenia lienigianus  
One on 11/7/2004.

Emmelina monodactyla  
Overwinters as an adult. 13/2-15/5/2004. 1-2 on six dates.  
21/8-5/11/2004. 1-2 on twelve dates with 4 on 2/11/2004.

F Solly