

Pegwell Village 'Driftwood'
Moth Report 2003

Orange Swift

One on 23/7 and then 1-7 on most nights from 6/8-12/9/2003.

Common Swift

4/5-27/6/2003. 1-19 on most nights.

Leopard Moth

One on 8/7/2003.

December Moth

19/11-19/12/2003. Singles on five dates.

Lackey

26/6-19/7/2003. Singles on four dates.

Oak Eggar

One on 19/7, 2 on 20/7, further singles on 25/7 and 7/8/2003. All females.

Drinker

A male on 28/7/2003.

Oak Hook-tip

Singles on 7/9 and 19/9/2003.

Chinese Character

Double brooded. Singles on 2/6 and 23/6/2003 were the only 1st brood records. 6/7-25/9/2003. 1-3 on eight dates in July with 8 on 19th. 1-5 on most nights during August and September.

Buff Arches

18/6-30/7/2003. 1-3 on seven dates in June, then 1-3 on many dates during July with 7 on 8th. Finally a late single on 12/8.

Figure of Eighty

3/6-12/7/2003. Singles on nine dates.

March Moth

27/2-16/4/2003. Singles on five dates with 2 on 10/3.

Rest Harrow

Singles on 13/8 and 18/8/2003.

Common Emerald

12/6-30/7/2003. 1-4 on eight dates during June with 7 on 27th. Common during July, with 1-6 on most nights.

Small Emerald

Typically single brooded. 7/7-22/7/2003. Singles on six dates. Singles on four dates 30/8-7/9/2003 were presumably from a partial 2nd brood.

Blood-vein

Double brooded. Singles on 4/6, 14/6 and 19/6/2003.
7/7-26/9/2003. 1-6 on numerous dates, commonest during August.

Mullein Wave

Double brooded. An early specimen on 25/4, then singles on twelve dates from 16/5-26/6/2003.
Singles on five dates during July from the 9th, then 1-6 on most nights from 1/8-10/10/2003.

Small Blood-vein

Partially double brooded – overlapping. 29/6-9/10/2003. 1-3 on most nights until 27/8, after-which noted on just nine dates.

Rosy Wave

Singles on 8/6 and 9/9/2003.

Least Carpet

18/6-17/8/2003. 1-2 on just seven dates in June, then 1-29 on every night.

Small Fan-footed Wave

3/7-17/8/2003. 1-4 on twenty-seven dates.

Dwarf Cream Wave

15/6-20/7/2003. 1-6 on many dates with 12 on 23/6.

Small Dusty Wave

Two overlapping broods. One on 4/5/2003, then 1-8 on most nights from 31/5-1/10/2003.

Single-dotted Wave

One on 8/6/2003, then 1-7 on most nights from 23/6-5/9 including every night during August.

Satin Wave

Double brooded. Singles on 31/5 and 3/6/2003 were the only 1st brood records. 19/8-5/9/2003. 1-2 on seven dates with 4 on 24/8.

Treble Brown Spot

1/6-15/7/2003. 1-8 on twenty-eight dates with 10 on 26/6.
A late single on 2/10.

Riband Wave

16/6-25/8/2003. 1-5 on most nights in June, then 1-17 on every night.
A late single on 25/9. A poor year for this normally common species.

Vestal

Migrant. Singles on 30/8 and 20/9 with 3 on 27/9/2003.

Oblique Striped

Double brooded. Singles on 1/5 and 10/8/2003 were presumably wanderers from the dunes at Sandwich Bay.

Flame Carpet

One on 12/8/2003.

Red Twin-spot Carpet

Double brooded. 4/5-6/6/2003. Singles on four dates.
4/7-11/8/2003. 1-2 on twelve dates with 3 on 30/7. Also a late single on 2/9.

Dark-barred Twin-spot Carpet

Double brooded. Singles on 8/5 and 10/6/2003. One on 15/7/2003.

Garden Carpet

At least double brooded. In May, 1-2 on four dates from 24th.
1-9 on most nights during June and August, every night in July.
1-5 on most nights from September until 10/10/2003.

Shaded Broad-bar

Singles on 4/7 and 15/7/2003.

Ruddy Carpet

One on 17/6, 2 on 2/7 and a further single on 4/7/2003.

Common Carpet

Double brooded. 23/5-15/6/2003. Singles on eight dates with 2 on 2/6.
1/7-10/9/2003. 1-2 on twenty-one dates.

Wood Carpet

One on 30/7/2003.

Galium Carpet

Double brooded. One on 24/6/2003. Singles on 8/8 and 22/8/2003.

Yellow Shell

17/6-5/9/2003. Singles on eight dates with 2 on 19/8.

Mallow

Singles on 15/9 and 29/9, then 1-3 on thirteen dates from 1/10-11/11/2003
with 5 on 10/10.

Purple Bar

Double brooded. 23/5-22/6/2003. Singles on four dates.
One on 6/8/2003

Phoenix

Singles on 8/7, 19/7 and 20/7/2003.

Spinach

One on 15/7/2003.

Barred Straw

One on 11/7/2003.

Small Phoenix

Singles on 19/7 and 12/8/2003.

Common Marbled Carpet

Double brooded. 28/5-7/7/2003. 1-7 on most nights.
One on 16/8. 7/9-10/10/2003. 1-2 on just six dates.

Barred Yellow

17/6-30/6/2003. Singles on seven dates with 2 on 26/6.

Blue-bordered Carpet

Singles on 17/6 and 7/7/2003.

Grey Pine Carpet

Double brooded. Singles on 25/5 and 7/6/2003.

Singles on 7/9 and 1/10/2003.

Green Carpet

Double brooded. One on 25/5/2003.

Singles on 15/9 and 24/9/2003.

July Highflyer

Singles on 3/7/2003 and 24/7/2003.

Small Waved Umber

Double brooded. 4/5-28/6/2003. Singles on eight dates with 2 on 3/6.

One on 19/7, then 1-4 on most nights from 1/8-14/8/2003.

Pretty Chalk Carpet

Singles on 27/6, 7/8 and 8/8/2003.

November Moth

2/10-26/11/2003. 1-3 on fifteen dates, mostly November with 9 on 10/11.

Winter Moth

One on 1/1/2003. In the latter part of the year, seven singles from 24/11-31/12/2003.

Northern Winter Moth

One on 5/11/2003.

Slender Pug

One on 14/6/2003.

Haworth's Pug

3/6-2/8/2003. 1-2 on eighteen dates with 4 on 23/6 and 6 on 9/7.

Toadflax Pug

One on 26/7/2003.

Mottled Pug

28/5-8/7/2003. 1-8 on most nights with 10 on 7/6.

Pinion-spotted Pug

Singles on 6/5 and 24/5/2003.

Lime-speck Pug

Two overlapping broods. 23/5-1/10/2003. 1-7 on most nights in May/June. 1-10 on every night during July and August, after-which 1-5 on most nights until 23/9. A final single on 1/10.

- Freyer's Pug
28/5-28/6/2003. 1-3 on fifteen dates.
- Wormwood Pug
Singles on 15/6 and 26/6, then 1-3 on most nights from 1/7-11/8/2003.
- Currant Pug
Singles on 27/5 and 7/6/2003.
- Common Pug
25/5-4/7/2003. 1-10 on most nights with 12 on 3/6/2003.
- White-spotted Pug
Double brooded. 4/5-3/6/2003. 1-2 on ten dates.
19/7-1/8/2003. 1-3 on six dates.
- Grey Pug
23/5-19/6/2003. Singles on four dates. One on 22/7, presumably 2nd brood.
- Tawny Speckled Pug
4/8-15/9/2003. 1-3 on thirteen dates, mostly during August.
- Bordered Pug
An early single on 19/6. 1/7-11/8/2003. 1-2 on eleven dates.
- Shaded Pug
31/5-6/7/2003. 1-3 on fourteen dates.
- Yarrow Pug
23/6-5/8/2003. Singles on seven dates.
- Plain Pug
16/7-4/8/2003. Singles on five dates with 2 on 20/7.
- Brindled Pug
One on 4/5/2003.
- Oak-tree Pug
24/5-1/6/2003. Singles on seven dates.
- Cypress Pug
An early single on 1/6. 20/7-29/9/2003. 1-2 on three dates in July,
1-8 on most nights during August and 1-3 on just five dates in September.
- V-Pug
Double brooded. Singles on 6/5, 26/5 and 31/5/2003.
8/7-8/8/2003. 1-2 on nine dates.
- Sloe Pug
31/5-26/6/2003. Singles on five dates with 4 on 3/6.
- Green Pug
31/5-20/7/2003. 1-14 on many dates in June and 1-3 on many dates in July.

Double-striped Pug

At least double brooded. Singles on 10/3 and 28/3, then 15/4-9/6/2003, 1-3 on many dates from May.
26/6-12/10/2003. 1-6 on most nights until 30/8, after which just eight singles.

Treble-bar

Double brooded. Singles on 28/5 and 5/6/2003.
Singles on 18/8 and 9/9/2003.

Lesser Treble-bar

Double brooded. One on 29/4/2003. Three on 15/8/2003.

Dingy Shell

One on 22/6/2003.

Small Yellow Wave

Singles on 16/6 and 19/7/2003.

Yellow-barred Brindle

Double brooded. 8/5-23/6/2003. 1-3 on thirteen dates, mostly in June.
7/8-5/9/2003. Singles on eleven dates with 2 on 9/8.

Magpie

28/6-7/8/2003. 1-2 on nine dates.

Clouded Border

Singles on 30/6, 20/7 and 26/7/2003.

Scorched Carpet

One on 24/8/2003.

Peacock

Singles on 6/8, 7/8 and 24/8/2003.

Sharp-angled Peacock

Double brooded. One on 19/6/2003.
24/7-5/9/2003. Singles on five dates.

Tawny-barred Angle

Singles on 27/6, 1/8 and 5/8/2003.

Latticed Heath

Double brooded. Singles on 27/6 and 5/7/2003.
18/7-12/9/2003. 1-2 on six dates until 18/8, then 24 on 19/8 and 2-8 until 24/8, after which, just three singles, all during September.

Brown Silver-line

One on 29/4/2003.

Brimstone

Double brooded. 4/5-9/6/2003. 1-7 on most nights.
17/6-17/9/2003. 1-2 on most nights until August, when every night - mostly 4-12 with 15 on 9/8. 1-3 on many dates during September.

Bordered Beauty

One on 23/6/2003.

Lilac Beauty

One on 12/7/2003.

One on 9/9 from the partial and infrequent 2nd brood.

Large Thorn

Singles on 23/8, 27/8 and 14/9/2003.

Early Thorn

Double brooded. Singles on 20/3 and 15/4/2003.

7/7-23/8/2003. Singles on fourteen dates. A late single on 13/9.

Scalloped Oak

26/6-14/9/2003. 1-6 on many nights, commonest during July.

Swallow-tailed Moth

20/6-1/8/2003. 1-6 on most nights.

One on 26/9 was presumably from a partial 2nd brood.

Feathered Thorn

31/10-26/11/2003. 1-2 on ten dates with 4 on 15/11.

Peppered

9/6-1/8/2003. 1-3 on twenty-four dates – all pale form.

Dotted Border

4/3-4/4/2003. 1-2 on seven dates.

Mottled Umber

Singles on 5/11 and 23/12/2003.

Waved Umber

28/5-22/6/2003. Singles on nine dates.

Willow Beauty

Two overlapping broods. 30/5-6/10/2003. 1-4 on thirteen dates to 28/6.

Only eight singles during July, then 1-15 on every night during August.

1-4 until 7/9 then only four further singles.

Mottled Beauty

28/5-19/7/2003. 1-6 on thirty-one dates.

Pale Oak Beauty

One on 17/6/2003.

Engrailed

One on 9/3/2003.

Bordered White

One on 10/7/2003.

Annulet

One on 6/8/2003.

- Common White Wave
14/6-14/7/2003. Singles on five dates.
- Common Wave
Singles on 27/5, 7/7 and 22/8/2003.
- Clouded Silver
28/5-25/7/2003. 1-6 on most nights.
- Light Emerald
Double brooded. 28/5-23/6/2003. 1-10 on most nights.
9/8-18/9/2003. 1-9 on most nights – commonest during August.
A late single on 1/10.
- Yellow Belle
Double brooded. 8/5-9/6/2003. Four singles.
14/8-20/9/2003. 1-4 on ten dates.
- Convolvulus Hawk
Migrant. A record influx into the UK during 2003.
18/8-1/10/2003. Singles on six dates during August, 1-2 on nine dates during
September, with 3 on 1st. Finally, 2 on 1/10. A total of 23.
- Privet Hawk
3/6-15/7/2003. 1-2 on eighteen dates.
- Lime Hawk
Singles on 17/6 and 7/7/2003. Poor.
- Eyed Hawk
16/5-23/6/2003. Just four singles.
- Poplar Hawk
20/6-24/7/2003. Also poor with just four singles.
- Hummingbird Hawk
A migrant, normally seen flying by day. Also a record influx into the UK.
A single taken at light on 18/9/2003.
- Striped Hawk
Migrant. Singles on 17/6, 27/6 and 15/8/2003.
- Elephant Hawk
13/6-8/7/2003. 1-3 on seven dates.
- Puss Moth
One on 15/5/2003.
- Iron Prominent
Two on 10/8 and 1 on 12/8/2003.
- Pebble Prominent
31/7-24/8/2003. Singles on six dates – all from the 2nd brood.

Swallow Prominent

Double brooded. 17/4-8/6/2003. Singles on four dates with 2 on 28/5.
1/8-30/8/2003. 1-3 on twelve dates.

Maple Prominent

Two on 10/8 and 1 on 23/8/2003.

Pale Prominent

Double brooded. One on 14/6/2003. One on 23/8/2003.

Figure of Eight

Singles on 12/10 and 31/10/2003.

Vapourer

Frequently seen by day but with only a casual attraction to light.
Singles on 2/7 and 4/9/2003.

Pale Tussock

Singles on 28/5, 2/6 and 3/6/2003.

Brown-tail

19/6-5/8/2003. 1-8 on most nights with 14 on 8/7.

Yellow-tail

20/6-1/8/2003. 1-3 on fifteen dates.

Round-winged Muslin

One on 30/6/2003.

Orange Footman

Singles on 1/6 and 27/6/2003.

Dingy Footman

5/7-12/8/2003. 1-6 on most nights.

Scarce Footman

20/6-12/8/2003. Nearly every night, commonest in July, when mostly 5-19
with 22 on 20th.

Common Footman

19/6-5/8/2003. 1-5 on most nights in June and on every night during July -
mostly 6-21 with 24 on 11/7.

Garden Tiger

15/7-10/8/2003. 1-3 on thirteen dates.

White Ermine

15/5-11/6/2003. 1-3 on ten dates with 5 on 31/5.

Buff Ermine

Singles on 1/5 and 9/5 then 1-7 from 1/6-12/8/2003 – every night during June
and July.

Muslin Moth

11/4-1/6/2003. 1-3 on seventeen dates.

Ruby Tiger

Double brooded, the 1st brood rarely coming to light.
26/6-9/8/2003 (the 2nd brood). 1-4 on twenty dates.
29/8-26/9/2003. Singles on eight dates, suggests a partial third brood.

Cinnabar

1/5-4/7/2003. Singles on six dates with 2 on 30/5.

Kent Black Arches

Singles on 21/6 and 8/7/2003.

Short-cloaked Moth

Normally single brooded. 24/6-11/7/2003. 1-2 on eight dates with 3 on 4/7.
A partial 2nd brood, with four singles from 24/8-6/9/2003.

Least Black Arches

24/5-7/6/2003. Singles on three dates with 2 on 31/5.

White-line Dart

29/6-12/8/2003. 1-3 on many nights throughout.

Garden Dart

30/7-15/8/2003. Singles on five dates.

Archer's Dart

One on 31/8/2003.

Turnip

Double brooded. 11/5-30/7/2003. 1-2 on twenty-one dates.
Singles on 4/8, 5/8 and 7/8 were probably 2nd brood. 15/8-4/11/2003.
1-6 on most nights with 8 on 24/8. Late singles on 15/11 and 30/11.

Heart and Club

15/6-15/7/2003. 1-3 on twenty dates.

Heart and Dart

5/5-25/7/2003. Common and nearly every night. Commonest during June,
when typically 20-47. Late singles on 2/8, 23/8 and 9/9.

Dark Sword-grass

M	A	M	J	J	A	S	O	N	D
1	1	3	2	29	22	10	1	13	3

Migrant. 30/3-11/12/2003. Singles on just seven dates from 30/3-28/6.
1-4 on forty-three dates from July-September. Surprisingly just one during
October, then 1-3 on a further eleven dates.

Shuttle-shaped Dart

At least two broods. 13/4-21/6/2003. 1-6 on many dates in April and then
1-18 on most nights with 24 on 24/4.
9/7-31/10/2003. 1-17 on every night July/August, 1-11 on most nights in
September and 1-8 on many dates during October.

Sand Dart

Singles on 9/6 and 30/6/2003.

Flame

27/5-20/7/2003. 1-10 on most nights.
One on 18/8 was probably from a partial 2nd brood.

Flame Shoulder

Double brooded. 14/4-9/7/2003. 1-2 on seven dates until June, then 1-2 on most nights.
16/7-12/9/2003. 1-8 nearly every night until end of August.

Large Yellow Underwing

17/5-19/11/2003. Five singles in May, then every night until the end of September. 1-17 in June/July and 3-32 during August. Commonest during September, 8-41 with 51 on 5th. 1-2 most nights October, five singles in Nov.

Lesser Yellow Underwing

22/6-20/11/2003. 1-14 nearly every night until 10/8. None from 11/8-18/8, then 1-9 for remainder of the month. 7-29 on every night during September. 1-27 on many dates throughout October, just two singles in November.

Broad-bordered Yellow Underwing

2/7-2/10/2003. Singles on eight dates in July/August, then 1-3 on ten dates.

Lesser Broad-bordered Yellow Underwing

9/7-29/9/2003. Nearly every night although commonest during August, when 21-63 on fourteen dates with 87 on 23/8.

Least Yellow Underwing

One on 2/7 and then 1-3 on many dates from 19/7-6/9/2003 with 5 on 5/8.

Autumnal Rustic

Singles on 27/9 and 29/9/2003.

Pearly Underwing

Migrant. One on 16/7/2003. 5/9-19/11, 1-2 on eleven dates totalling 13.

Small Square-spot

Double brooded. 27/5-17/6/2003. 1-4 on most nights.
5/8-16/8/2003. 1-4 every night. Further singles on 2/9 and 4/9.

Setaceous Hebrew Character

Double brooded. 20/5-8/7/2003. 1-9 on most nights.
One on 23/7, then every night from 28/7-30/9. Very common in August, typically 30-96 with 115 on 19th, 123 on 22nd and 156 on 23rd. Counts of 20-35 throughout September, then 1-5 on most nights until 12/10/2003.

Double Square Spot

26/6-15/7/2003. Singles on six dates with 2 on 9/7.

Six-striped Rustic

3/8-27/8/2003. Singles on four dates.

Square-spot Rustic

16/7-10/10/2003. Common, every night in August and September.
Many nights of 20-35 with 49 on 23/8. Counts of 1-5 in October.

Nutmeg

Two overlapping broods. 2/6-10/9/2003. Four singles in June, then 1-5 on many dates throughout. A late single on 26/9.

Shears

Singles on 28/5, 1/6 and 23/6/2003.

White Colon

Singles on 27/5 and 23/6/2003.

Cabbage

Two overlapping broods. 25/4-7/9/2003. 1-2 on just seven dates until July. 1-4 on nearly every night during July and 1-10 on every night in August and until 7/9. Late singles on 20/9 and 24/9.

Dot

21/6-9/8/2003. Three dates in June, then 1-10 on nearly every night.

Light Brocade

One on 3/6/2003.

Pale-shouldered Brocade

One on 7/6/2003.

Dog's Tooth

Double brooded. Singles on 4/5 and 5/6/2003.
8/7-30/8/2003. Singles on six dates.

Bright-line Brown-eye

Two overlapping broods. 5/5-20/9/2003. 1-2 on nine dates in May with 7 on 31st. 1-16 on every night in June/July and 1-10 on every night August. 1-6 on most nights during September and a late single on 1/10.

Broad-barred White

19/6-20/7/2003. Singles on six dates.

Campion

Double brooded. Singles on 1/5, 4/5 and 1/6/2003.
9/7-5/9/2003. Singles on twenty dates.

Varied Coronet

Singles on 23/6 and 29/6/2003.

Marbled Coronet

One on 2/6/2003.

Lychnis

Double brooded. 25/5-15/6/2003. Singles on four dates.
19/7-7/9/2003. Singles on six dates.

Hedge Rustic

One on 19/9/2003.

Pine Beauty

Singles on 24/3, 27/4 and 20/5/2003.

Small Quaker

Singles on 23/3, 24/3 and 16/4/2003.

Common Quaker

17/3-2/6/2003. 1-15 on most nights until 10/5, after-which just seven singles.

Clouded Drab

25/3-29/4/2003. Singles on just six dates with 2 on 28/3.

Hebrew Character

3/3-16/5/2003. 1-8 on most nights. Late singles on 26/5 and 30/5.

Brown-line Bright-eye

28/6-5/8/2003. 1-5 every night.

Clay

2/7-9/8/2003. 1-5 on most nights.

White-point

Migrant and transitory resident, most records probably refer to the latter.
Double brooded. Singles on 8/6 and 14/6/2003.
2/8-5/9/2003. 1-4 on eighteen dates totalling 25. Singles on 27/9 and 3/10.

Delicate

Migrant. Singles on 25/8 and 27/8/2003.

Southern Wainscot

19/7-6/8/2003. Singles on four dates.

Smoky Wainscot

22/5-13/8/2003. Nearly every night. Commonest from May-mid June, when typically 10-35 with 42 on 4/6. Counts of 1-12 only, after mid June.

Common Wainscot

Singles on 8/5 and 23/5/2003. 1-6 on many dates during June but just four singles from 9/7-22/7. Presumably a 2nd brood from 1/8-21/9, every night in August, 1-18 with 38 on 19th. 1-8 on many dates during September.

Mathew's Wainscot

Singles on 4/6 and 3/8/2003.

L-Album Wainscot

Double brooded. 27/5-18/7/2003. 1-5 nearly every night with 10 on 6/6.
9/8-23/10/2003. 1-13 on many dates in August with 19 on 27/8 and 28 on 31/8. Every night during September, mostly 10-23 with 29 on 5th.
1-12 on most nights in October until 10th then just one further single.

White-speck

Migrant. One on 23/11/2003.

Wormwood
One on 21/7/2003.

Chamomile Shark
Singles on 15/4 and 27/4/2003.

Shark
20/6-18/7/2003. Singles on four dates.

Star-wort
Singles on 26/6, 23/7 and 26/7/2003.

Feathered Brindle
2/10-12/10/2003. Singles on four dates with 3 on 6/10.

Deep Brown Dart
One on 5/9 then 1-2 on seven dates from 26/9-6/10/2003.

Black Rustic
9/9-5/11/2003. 1-4 on twenty-four dates.

Tawny Pinion
Singles on 17/3 and 23/4/2003.

Blair's Shoulder-knot
26/9-19/11/2003. 1-3 on seventeen dates.

Early Grey
9/3-10/5/2003. 1-6 on most nights with 10-12 from 21/4-24/4.

Green-brindled Crescent
One on 27/9 then 1-2 on nine dates from 26/10-20/11/2003.

Flame Brocade
One on 3/10/2003.

Feathered Ranunculus
30/8-10/11/2003. 1-17 on every night until October with 25 on 23/9.
1-14 on many dates during October with 23 on 5th. Three dates in November.

Satellite
Post hibernation. One on 27/3/2003.
Pre-hibernation. Singles on 31/10 and 11/12/2003.

Chestnut
Post hibernation. Singles on 3/3 and 14/4/2003.
Pre-hibernation. 23/9-25/12/2003. Singles on four dates.

Dark Chestnut
12/10-19/12/2003. Singles on four dates.

Brick
5/9-26/11/2003. 1-2 on twelve dates, most frequent during November.

Yellow-line Quaker
Singles on 10/11, 17/11 and 23/11/2003.

Beaded Chestnut
19/9-23/10/2003. 1-8 on most nights with 10 on 23/9.

Centre-barred Sallow
29/8-23/9/2003. Singles on six dates with 2 on 15/9.

Lunar Underwing
4/9-23/10/2003. 1-17 on most nights from 16/9.

Orange Sallow
One on 30/8/2003.

Barred Sallow
5/9-6/10/2003. Singles on three dates with 2 on 1/10.

Sallow
Singles on 16/9 and 26/9/2003.

Poplar Grey
23/6-20/7/2003. Singles on six dates.

Sycamore
30/5-8/7/2003. Singles on five dates.

Grey Dagger
24/6-16/8/2003. 1-3 on twenty-four dates, mostly during July.

Knot Grass
Double brooded. One on 14/5/2003.
16/7-15/8/2003. Singles on five dates with 2 on 22/7.

Tree-lichen Beauty
Migrant. One on 8/8/2003.

Marbled Beauty
10/7-12/9/2003. 1-2 most nights in July and 1-8 on most nights during August. Singles during September. A late single on 23/9.

Marbled Green
14/7-22/8/2003. Singles on five dates in July with 5 on 19th and 1-4 on most nights during August with 6 on 5th.

Copper Underwing
2/8-1/10/2003. 1-2 on seventeen dates, mostly during August.

Mouse
17/7-18/9/2003. 1-5 on most nights. Further singles on 30/9 and 3/10.

Old Lady
Singles on 23/8, 5/9 and 8/9/2003.

Straw Underwing

7/8-13/9/2003. 1-5 nearly every night.

Angle Shades

One on 3/1/2003. Singles on 27/3 and 28/3. 20/4-5/7/2003. 1-4 on most nights. 1/8-10/11/2003. 1-8 on most nights August-October and singles on four dates during November.

Lesser-spotted Pinion

Singles on 5/8 and 7/8/2003.

Dun-bar

26/6-10/8/2003. 1-3 on many nights.

Dark Arches

4/6-12/8/2003. Common, every night from 14/6, frequently 10-25.

Light Arches

18/6-22/7/2003. 1-2 on eighteen dates.

Reddish Light Arches

Singles on 23/6, 24/6 and 1/7/2003.

Crescent Striped

One on 7/7/2003.

Clouded Brindle

One on 29/6/2003.

Dusky Brocade

25/5-16/7/2003. 1-4 on most nights.

Small Clouded Brindle

One on 1/6/2003.

Rustic Shoulder-knot

22/5-7/6/2003. 1-2 on seven dates with 3 on 1/6/2003.

Double Lobed

Singles on 23/6 and 25/7/2003.

Marbled Minor

22/5-6/7/2003. 1-21 nearly every night.

Tawny Marbled Minor

23/5-20/7/2003. 1-15 on most nights.

Middle-barred Minor

Singles on 12/6, 17/6 and 19/6/2003.

Cloaked Minor

8/7-4/9/2003. 1-6 on most nights in July and 1-12 on most nights in August.

Rosy Minor

17/7-9/8/2003. Singles on five dates.

Common Rustic

3/7-29/9/2003. Every night until 31/8, 1-32 with 37 on 6/8 and 9/8.
Just six singles during September.

Lesser Common Rustic

22/7-20/8/2003. 1-3 on nine dates.

Small Wainscot

One on 17/7/2003.

Dusky Sallow

13/7-25/7/2003. 1-4 on most nights.

Flounced Rustic

27/7-3/10/2003. Most nights, typically 10-29 from 1/8-11/9.

Saltern Ear

Singles on 27/7, 1/8 and 9/8/2003.

Rosy Rustic

16/7-5/10/2003. 1-3 on thirty-four dates with 5 on 1/9. Commonest in August

Crescent

Singles on 12/8, 22/8 and 5/9/2003.

Brown-veined Wainscot

One on 9/8/2003.

Large Wainscot

Singles on 9/10 and 28/10/2003.

Fen Wainscot

27/6-16/7/2003. Singles on four dates.

Treble Lines

One on 1/6/2003.

Uncertain

17/6- 7/8. 1-18 on every night.

Rustic

13/6-8/8/2003. 1-2 on four dates in June, then 1-6 nearly every night.

Vine's Rustic

Double brooded. 6/5-19/7/2003. 1-23 nearly every night from 18/5-30/6
with singles on just four dates in July.
1/8-5/10/2003. Nearly every night throughout, very common from 17/8-9/9,
typically 23-97 with 179 on 23/8. Only single figures after 10/9.

Small Mottled Willow

Migrant. 7/8-2/10/2003. 1-3 on nine dates with 5 on 13/8, mostly during
August. A total of 18.

Mottled Rustic

31/5-20/7/2003. Every night, 1-16 with 20 on 26/6.

Pale Mottled Willow

At least two overlapping broods. 27/4-10/11/2003. 1-6 on most nights until 18/8, then 1-19 on every night until October, after-which many nights of 1-6, with just two singles during November.

Bordered Sallow

Singles on 18/6, 23/6 and 4/7/2003.

Scarce Bordered Straw

Migrant. 16/8-16/10/2003. 1-3 on nine dates during August with 1-2 on twelve dates during September and three dates in October. A total of 33.

Bordered Straw

Migrant. Singles on 21/7, 10/8, 17/8 and 24/8/2003.

Cream-bordered Green Pea

Double brooded. One on 27/6/2003.
Singles on 19/7, 6/8 and 12/8/2003.

Nut-tree Tussock

One on 3/6/2003.

Burnished Brass

Double brooded. 17/6-8/7/2003. Singles on nine dates with 2 on 27/6.
2/8-21/9/2003. 1-2 on thirteen dates.

Gold Spot

One on 27/7/2003.

Silver Y

A	M	J	J	A	S	O	N	D
3	1	66	127	117	32	11	4	2

A common migrant that subsequently breeds. 22/4-12/12/2003.
Noted on just three dates April/May. 1-6 on most nights in June, then 1-10 on nearly every night during July and August. A poor autumn. Regularly 1-6 in September, 1-4 on just five dates in October and just six singles thereafter.

Dark Spectacle

Two overlapping broods. 20/4-27/9/2003. Four singles until June, then 1-2 on many dates from June-August with four singles in September.

Spectacle

Double brooded. 27/5-8/7/2003. Singles on ten dates.
23/7-11/9/2003. 1-2 on fifteen dates.

Red Underwing

19/9-10/10/2003. Singles on five dates.

Blackneck

One on 16/6/2003.

Herald

Post hibernation. Singles on 27/3 and 14/4/2003.
Pre-hibernation. Singles on 24/7 and 13/8/2003.

Straw Dot

Double brooded. 16/6-11/8/2003. Four singles until 30/7 and then 1-4 on most nights in August. One from the 2nd brood on 29/9.

Snout

Double brooded. 31/5-20/7/2003. Singles on sixteen dates with 3 on 26/6. 10/8-13/10/2003. 1-4 on twenty-four dates.

Fan-foot

3/7-30/7/2003. Singles on six dates.

Small Fan-foot

One on 26/6 with 2 on 27/6 and 20/7/2003.

Microlepidoptera

Strict family Order has not been followed, as most people are likely to have some interest in the Pyralids and to a lesser extent the Tortrix. Family Order resumes after these.

Pyralids

Calamotropha paludella

One on 19/7/2003.

Chrysoteuchia culmella

31/5-1/8/2003. Common, most nights.

Crambus pascuella

17/6-19/7/2003. 1-2 on thirteen dates.

Crambus lathoniellus

31/5-20/6/2003. 1-6 on most nights.

Crambus perlella

23/6-30/8/2003. Common, virtually every night throughout.

Agriphila selasella

Three on 10/8 and 1 in 17/8/2003.

Agriphila straminella

26/6-30/8/2003. Common, every night from 9/7-25/8.

Agriphila tristella

20/7-6/9/2003. Common and nearly every night throughout.

Agriphila latistria

One on 8/9/2003.

- Agriphila geniculea*
1/8-2/10/2003. Common and every night until 27/9.
- Catoptria pinella*
One on 19/7/2003.
- Catoptria falsella*
16/7-24/8/2003. Singles on five dates.
- Pediasia contaminella*
One on 18/9/2003.
- Pediasia aridella*
One on 15/6/2003.
- Platytes cerussella*
Singles on 11/6 and 15/6/2003.
- Schoenobius gigantella*
Singles on 8/6 and 4/7/2003.
- Scoparia subfusca*
23/6-4/8/2003. Singles on four dates.
- Scoparia pyralella*
28/5-12/7/2003. 1-8 on many dates.
- Scoparia ambigualis*
22/5-22/7/2003. 1-10, every night from June.
- Dipleurina lacustrata*
15/6-20/7/2003. 1-2 on fourteen dates.
- Eudonia angustea*
Double brooded. 1/5-19/6/2003. 1-9 on most nights, 12 on 1/6 and 15 on 3/6.
10/8-23/11/2003. 1-5 on most nights until 26/10 with 8 on 1/10 and 10 on
2/10. 1-2 on eight dates during November.
- Eudonia pallida*
7/6-27/6/2003. Singles on four dates. Further singles on 2/9 and 5/9.
- Eudonia mercurella*
15/6-16/8/2003. 1-6 on most nights with 14 on 20/7. A late single on 29/8.
- Acentria ephemerella* *Water Veneer*
15/6-22/8/2003. 1-2 on seven dates.
- Elophila nymphaeata* *Brown China-mark*
Singles on 11/6, 22/7 and 23/8.
- Parapoynx stratiotata* *Ringed China-mark*
6/6-10/8/2003. Singles on six dates.

- Evergestis forficalis* *Garden Pebble*
 Double brooded. Singles on 22/4, 6/5 and 20/5, then 1-9 on most nights from 27/5-5/7/2003.
 29/7-5/9/2003. 1-9 nearly every night.
- Evergestis extimalis*
 12/6-26/9/2003. Five singles during June, then 1-16 nearly every night during July and August with 22 on 22/7. 1-3 on eight dates in September.
- Pyrausta aurata*
 15/7-22/8/2003. 1-5 on fourteen dates. A late single on 27/9.
- Pyrausta despicata*
 Double brooded. Two on 27/6/2003.
 15/7-23/8/2003. Singles on eight dates with 2 on 1/8.
- Ostrinia nubilalis* *European Corn-borer*
 19/6-20/7/2003. 1-3 on most nights.
- Eurrhypara hortulata* *Small Magpie*
 One on 4/6, then 1-11 on most nights from 17/6-16/8/2003.
- Phlyctaenia coronata*
 19/6-20/7/2003. 1-14 on most nights.
- Udea prunalis*
 Singles on 20/6, 4/7 and 8/7/2003.
- Udea olivalis*
 7/6-2/7/2003. 1-4 on most nights with 10 on 17/6.
- Udea ferrugalis* *Rusty-dot*
- | J | A | S | O | N | D |
|---|----|---|---|---|---|
| 2 | 36 | 5 | - | 5 | 4 |
- Migrant. 4/7-12/12/2003. Excluding August, there were 1-2 on fourteen dates. During August, 1-4 on fourteen dates with 7 on 12th.
- Nomophila noctuella* *Rush Veneer*
- | J | J | A | S | O | N |
|---|----|-----|-----|-----|---|
| 4 | 38 | 193 | 250 | 216 | 5 |
- Migrant. 17/6-17/11/2003. Common and nearly every night from August-October, typically 1-23 with peaks of 47 on 1/10 and 118 on 2/10.
- Pleuroptya ruralis* *Mother of Pearl*
 8/7-20/8/2003. 1-7 on most nights with 10 on 3/8. A late single on 30/9.
- Hypsopygia costalis* *Gold Triangle*
 8/6-11/8/2003. 1-2 on nine dates.

Synaphe punctalis
Singles on 15/6, 7/7 and 13/7/2003.

Orthopygia glaucinalis
Singles on 20/7 and 26/9/2003.

Pyralis farinalis *Meal Moth*
Singles on 7/8, 3/9 and 5/9/2003.

Endotricha flammealis
26/6-16/8/2003. Common, every night from July. Singles on 19/9 and 8/10.

Galleria mellonella *Wax Moth*
19/6-6/10/2003. Singles on six dates with 2 on 10/8.

Achroia grisella *Lesser Wax Moth*
One on 15/7/2003.

Aphomia sociella *Bee Moth*
29/5-21/7/2003. 1-6 on most nights. A late single on 10/8.

Aphomia zelleri
20/6-19/7/2003. Singles on nine dates with 2 on 8/7. Just one male.

Conobathra repandana
Singles on 3/7, 4/7 and 8/7/2003.

Trachycera suavella
16/7-8/8/2003. 1-3 on eleven dates.

Trachycera advenella
4/7-11/9/2003. Common, most nights.

Oncocera semirubella
Singles on 23/6 and 27/6/2003.

Pempelia genistella
One on 19/7/2003.

Pempelia obductella
Singles on 16/7 and 23/7/2003.

Pempelia formosa
One on 3/7/2003.

Sciota adelphella
Singles on 8/7 and 16/7/2003.

Phycita roborella
One on 9/7/2003.

Pima boisduvaliella
One on 19/7/2003.

Dioryctria abietella

Singles on 17/6 and 23/6/2003.

Myelois circumvoluta

Thistle Ermine

29/5-23/7/2003. 1-5 on many dates.

Gymnancyla canella

One on 19/7/2003.

Nephoterix angustella

10/8-19/9/2003. Singles on six dates.

Nyctegretis lineana

One on 23/6/2003.

Ephestia parasitella

30/5-10/7/2003. 1-8 on many nights. Further singles on 21/7, 25/7 and 25/8.

Homoeosoma sinuella

1/6-31/7/2003. 1-5 on most nights.

Phycitodes binaevella

22/6-26/7/2003. Singles on five dates.

Tortrix

Phtheochroa inopiana

Singles on 19/6 and 20/7/2003.

Phalonidia affinitana

One on 10/7/2003.

Agapeta hamana

9/6-22/8/2003. 1-6 on many dates throughout.

Aethes tesserana

One on 29/5/2003.

Aethes smeathmanniana

One on 9/6 and five singles from 1/8-12/8/2003.

Aethes beatricella

6/6-1/7/2003. 1-10 on most nights.

Eupoecilia angustana

12/6-10/8/2003. 1-2 on seven dates in July, with 4 on 27th.
Thereafter 1-3 on most nights with 6 on 4/7.

Eupoecilia ambiguella

Vine Moth

Double brooded. One on 2/6/2003.

20/7-7/8/2003. 1-2 on eight dates with 3 on 21/7.

- Cochylidia implicitana*
One on 3/8/2003.
- Cochylis dubitana*
Double brooded. 30/5-4/7/2003. 1-2 on nine dates.
14/7-27/8/2003. 1-3 on many dates.
- Cochylis hybridella*
2/6-26/9/2003. 1-8 on most nights during June/July and common throughout August. 1-2 on six dates during September.
- Cochylis atricapitana*
Two overlapping broods. 24/4-3/9/2003. 1-2 on sixteen dates until 26/6 with 4 on 19/6. 1-2 on just seven dates during July, and 1-4 on many nights August.
- Cochylis nana*
One on 19/6/2003.
- Pandemis corylana* *Chequered Fruit-tree Tortrix*
Singles on 20/6, 24/6 and 26/6/2003.
- Pandemis cerasana* *Barred Fruit-tree Tortrix*
17/6-7/9/2003. 1-2 on thirteen dates.
- Pandemis heparana* *Dark Fruit-tree Tortrix*
16/6-8/9/2003. 1-5 on many dates.
- Archips podana* *Large Fruit-tree Tortrix*
20/6-19/9/2003. 1-4 on many dates with 9 on 4/7.
- Cacoecimorpha pronubana* *Carnation Tortrix*
Double brooded. 31/5-26/6/2003. 1-6 on four dates.
18/7-5/9/2003. 1-2 on nine dates.
- Aphelia paleana* *Timothy Tortrix*
Singles on 30/6 and 19/7/2003.
- Clepsis spectrana* *Cyclamen Tortrix*
Double brooded. One on 18/5/2003.
28/7-25/8/2003. Singles on nine dates.
- Clepsis consimilana*
Double brooded. 7/6-5/8/2003. Most nights, commonest during July.
24/8-16/10/2003. 1-3 on eleven dates.
- Epiphyas postvittana* *Light Brown Apple Moth*
Three on 1/1/2003. Singles on two dates in each of March and April. 1-15 on most nights during May. Every night from June-September and often abundant. Most nights, usually in double figures from October until 31/12.
- Adoxophyes orana* *Summer Fruit Tortrix*
One on 8/9/2003.
- Lozotaeniodes formosanus*
27/6-31/7/2003. Singles on seven dates.

Lozotaenia forsterana
7/6-3/7/2003. 1-3 on most nights.

Ditula angustiorana *Red-barred Tortrix*
16/6-18/7/2003. 1-6 on most nights with 10 on 8/7.

Pseudargyrotoza conwagana
8/7-8/9/2003. Singles on four dates.

Cnephasia longana
23/6-24/7/2003. Singles on four dates.

Cnephasia stephensiana *Grey Tortrix*
23/6-24/7/2003. 1-5 on most nights.

Cnephasia asseclana *Flax Tortrix*
19/6-8/7/2003. 1-3 on seven dates.

Cnephasia pasiuana
One on 19/6/2003.

Cnephasia incertana *Light Grey Tortrix*
25/5-20/7/2003. 1-5 on many dates.

Tortrix viridana *Green Oak Tortrix*
9/6-26/6/2003. 1-5 on many dates.

Acleris forsskaleana
23/6-12/8/2003. 1-9 on most nights, commonest during July.

Acleris holmiana
One on 14/7/2003.

Acleris comariana *Strawberry Tortrix*
One on 7/9/2003.

Acleris sparsana
Post hibernation. One on 26/3/2003.
Pre-hibernation. Singles on 19/9, 27/9 and 4/11/2003.

Acleris rhombana *Rhomboid Tortrix*
1/9-28/10/2003. 1-2 on eighteen dates with 4 on 2/10.

Acleris variegana *Garden Rose Tortrix*
One on 23/6, then 13/7-16/10/2003. 1-6 on many dates, commonest in August.

Acleris cristana
Post hibernation. 28/2-21/4/2003. Singles on four dates with 2 on 1/3.
Pre-hibernation. One on 7/8/2003.

Celypha striana
9/6-19/7/2003. 1-3 on many dates. Late singles on 27/8 and 15/9.

Celypha rosaceana
Singles on 6/7 and 22/8/2003.

Celypha lacunana
28/5-13/9/2003. 1-6 on most nights.

Hedya pruniana *Plum Tortrix*
24/5-29/6/2003. Most nights and common.

Hedya nubiferana *Marbled Orchard Tortrix*
31/5-7/7/2003. 1-6 on many dates.

Hedya ochroleucana
One on 13/6/2003.

Apotomis betuletana
One on 20/8/2003.

Endothenia quadrimaculana
One on 17/9/2003.

Lobesia abscisana
Two on 19/7 and 1 on 23/7/2003.

Eudemis profundana
One on 12/7/2003.

Ancylis achatana
17/6-19/7/2003. 1-5 on most nights with 8 on 11/7.

Epinotia abbreviana
9/6-4/8/2003. 1-3 on many dates.

Crociosema plebejana
Double brooded. One on 3/6/2003.
8/7-5/12/2003. 1-2 on five dates in July, then 1-3 on many dates in August
and September. After-which nine further singles.

Zeiraphera isertana
One on 22/6/2003.

Gypsonoma aceriana
One on 19/7/2003.

Gypsonoma sociana
Two on 27/6/2003.

Gypsonoma dealbana
15/6-19/7/2003. Singles on four dates.

Epiblema cynosbatella
29/5-23/6/2003. 1-5 on most nights.

Epiblema uddmanniana *Bramble Shoot Moth*
14/6-2/7/2003. 1-2 on ten dates.

- Epiblema trimaculana
1/6-28/6/2003. 1-3 on most nights.
- Epiblema rosaecolana
Two on 17/6 and three singles from 19/6-24/6/2003.
- Epiblema roborana
2/7-18/7/2003. Singles on three dates with 3 on 4/7.
- Epiblema foenella
One on 17/6 and seven singles from 10/7-24/7/2003.
- Eucosma metzneriana
One on 3/7/2003.
- Eucosma campoliliana
30/6-4/8/2003. Singles on six dates with 2 on 30/7.
- Eucosma hohenwartiana
17/6-30/6/2003. Singles on four dates.
- Eucosma cana
5/6-20/7/2003. 1-7 on most nights.
- Eucosma obumbratana
One on 11/8/2003.
- Thiodia citrana
One on 30/6, 2 on 1/7 and 1 on 4/7/2003.
- Spilonota ocellana *Bud Moth*
11/6-10/8/2003. 1-5 on most nights throughout.
- Enarmonia formosana *Cherry-bark Moth*
Singles on 3/6, 15/7, 12/8 and 26/9/2003.
- Pammene aurantiana
23/7-10/8/2003. Singles on five dates with 2 on 7/8/2003.
- Pammene fasciana
Singles on 10/7 and 14/7/2003.
- Grapholita janthinana
Two on 10/7, then singles on five dates from 15/7-14/8/2003.
- Grapholita funebrana *Plum Fruit Moth*
2/6-11/7/2003. 1-3 on ten dates. A late single on 8/9.
- Cydia fagiglandana
One on 20/7/2003.
- Cydia splendana
14/7-9/8/2003. 1-4 on fourteen dates.

- Cydia pomonella* *Codling Moth*
7/6-25/8/2003. 1-4 on many dates, most frequent in July and August.
- Dichrorampha petiverella*
Singles on 14/7 and 19/7/2003.
- Dichrorampha alpinana*
Singles on 8/7, 14/7 and 19/7/2003.
- Dichrorampha simpliciana*
Singles on 23/7, 10/8 and 5/9/2003.
- Dichrorampha gueneana*
One on 19/7/2003.
- Etainia decentella*
One on 24/6/2003.
- Emmetia marginea*
Four singles during August.
- Nemapogon cloacella* *Cork Moth*
Singles on 27/6 and 9/7/2003.
- Monopis obviella*
2/5-4/11/2003. One on 2/5, then 1-5 on most nights from 30/5-19/7.
Just three singles in August and 1-3 on ten dates from 5/9-4/11.
- Monopis weaverella*
Singles on 2/5 and 20/5/2003.
- Tinea semifulvella*
7/6-10/7/2003. Singles on five dates.
- Tinea trinotella*
28/5-7/8/2003. Singles on nine dates.
- Leucoptera laburnella* *Laburnum Leaf Miner*
One on 27/6/2003.
- Lyonetia clerkella* *Apple Leaf Miner*
7/6-20/9/2003. 1-3 on eleven dates during June, then common and on most nights until the end of August. Just six singles during September.
- Caloptilia syringiella*
29/5-5/9/2003. Singles on seven dates with 3 on 22/8.
- Caloptilia rufipennella*
Three singles from 10/7-30/7 with 2 on 5/8/2003.
- Aspilapteryx tringipennella*
One on 28/7/2003.

Parornix anglicella

Double brooded. 10/5-3/6/2003. 1-2 on five dates.
20/7-5/9/2003. 1-2 on seven dates.

Parornix finitimella

Singles 29/5 and 13/8, 2 on 2/8 and 3 on 6/8/2003.

Callisto denticulella

Singles on 31/5, 9/6 and 10/7/2003.

Phyllonorycter messaniella

Singles on 19/7, 19/9 and 27/9/2003.

Phyllonorycter trifasciella

One on 15/7/2003.

Anthophila fabriciana

Nettle-tap

One on 28/7/2003.

Choreutis pariana

Apple Leaf Skeletonizer

Singles on 19/7 and 27/7/2003.

Argyresthia bonnattella

8/7-20/7/2003. 1-3 on four dates.

Argyresthia albistria

16/6-27/6/2003./ 2-3 on five dates.

Argyresthia goedartella

21/7-17/8/2003. Singles on five dates.

Argyresthia spinosella

30/5-11/6/2003. 1-3 on seven dates.

Argyresthia pruniella

Three on 21/7 and 1 on 30/7/2003.

Argyresthia semifusca

8/8-30/8/2003. Singles on four dates.

Yponomeuta evonymella

Bird-cherry Ermine

23/6-19/7/2003. 1-15 on nearly every night with 20 on 27/6.

Yponomeuta padella

Orchard Ermine

27/6-19/7/2003. 1-6 on most nights.

Yponomeuta cagnagella

Spindle Ermine

4/7-12/8/2003. 1-3 on six dates.

Swammerdamia pyrella

Double brooded. One on 2/6/2003. Three on 6/8, 6 on 7/8 and 2 on 8/8.

Paraswammerdamia lutarea

19/6-8/8/2003. 1-8 on many dates, most frequent during July.

Scythropia crataegella *Hawthorn Moth*
26/6-19/7/2003. Singles on seven dates with 2 on 27/6 and 3 on 10/7.

Ypsolopha dentella *Honeysuckle Moth*
One on 15/7/2003.

Ypsolopha scabrella
15/7-24/8/2003. 1-4 on many dates with 6 on 1/8.

Ypsolopha sequella
One on 8/8/2003.

Plutella xylostella *Diamond-back Moth*

M	A	M	J	J	A	S	O	N
1	4	16	208	234	156	36	4	4

Migrant. 29/3-30/11/2003. Every night from June-August, up to 19.

Eidophasia messingiella
15/6-1/7/2003. Singles on six dates.

Coleophora trifolii *Large Clover Case-bearer*
Singles on 23/6 and 4/7/2003.

Coleophora deauratella
One on 30/6/2003

Coleophora alcyonipennella *Clover Case-bearer*
13/7-20/8/2003. Singles on five dates with 2 on 9/8.

Coleophora salicorniae
Singles on 26/7, 2/8 and 6/8/2003.

Coleophora anatipennella *Pistol Case-bearer*
15/6-30/6/2003. Singles on five dates with 4 on 19/6.

Elaschista argentella
6/5-14/5/2003. Singles on five dates.

Elachista atricomella
One on 30/5/2003.

Batia lunaris
16/6-16/7/2003. 1-4 on ten dates with 8 on 10/7.

Batia unitella
15/7-7/8/2003. 1-3 on most nights.

Hofmannophila pseudospretella *Brown House Moth*
29/5-2/10/2003. 1-5 on most nights until 26/8 and then 1-2 on just five dates during September.

- Endrosis sarcitrella *White-shouldered House Moth*
25/5-3/10/2003. 1-8 on thirteen dates from 25/5-11/7. 1-6 on many dates throughout August, after-which, singles on five further dates.
- Esperia sulphurella
Singles on 24/4 and 1/5 with 3 on 22/5/2003.
- Carcina quercana
6/7-3/10/2003. 1-10 on nearly every night during July/August.
1-2 on five dates in September until the 21st. Late singles on 2/10 and 3/10.
- Diurnea fagella
One on 29/3/2003.
- Luquetia lobella
30/5-28/6/2003. 1-2 on nine dates with 5 on 19/6.
- Agonopterix heracliana
Post hibernation. 25/3-4/5/2003. Five singles
Pre-hibernation. 10/7-20/7/2003. Four singles. Singles on 5/11 and 15/11.
- Agonopterix purpurea
One on 18/5/2003.
- Agonopterix subpropinquella
Post hibernation. 28/3-17/6/2003. 1-3 on eleven dates.
Pre-hibernation. One on 3/8/2003.
- Agonopterix alstroemeriana
Post hibernation. Singles on 29/3 and 25/4/2003.
Pre-hibernation. Singles on 1/8 and 2/10/2003.
- Agonopterix nervosa
Singles on 11/9 and 14/9/2003.
- Agonopterix arenella
Post hibernation. 28/3-20/6/2003. 1-3 on twenty-three dates.
Pre-hibernation. 26/7-5/9/2003. 1-2 on eight dates.
- Agonopterix yeatiana
Singles on 30/5 and 8/7/2003. Post and pre-hibernation records.
- Metzneria lappella
9/6-18/7/2003. 1-4 on eleven dates with 8 on 8/7 and 12/7/2003.
- Metzneria metzneriella
Singles on 17/6 and 1/7/2003.
- Monochroa lucidella
Singles on 27/6 and 8/7/2003.
- Athrips mouffetella
One on 10/7/2003.

- Teleiodes vulgella
24/6-14/7/2003. 1-2 on six dates.
- Bryotropha affinis
One on 7/6 and 1-3 on four dates from 10/7-18/7/2003.
- Bryotropha senectella
One on 27/6/2003.
- Bryotropha terrella
15/6-15/8/2003. 1-4 on thirteen dates.
- Bryotropha domestica
26/6-24/8/2003. 1-3 on sixteen dates.
- Gelechia senticetella
Singles on 26/7, 2/8 and 7/8/2003.
- Platyedra subcinerea
Post hibernation. 1/5-28/5/2003. Singles on four dates with 2 on 6/5.
Pre-hibernation. 1/8-9/8/2003. 1-4 on most nights. One on 3/10.
- Pexicopia malvella *Hollyhock Seed Moth*
19/6-12/7/2003. Singles on four dates.
- Scrobipalpa ocellatella
Double brooded. One on 1/5/2003.
Two on 17/9 and 1 on 1/10/2003.
- Scrobipalpa obsoletella
One on 7/6/2003.
- Scrobipalpa costella
One on 23/5/2003. 28/7-6/11/2003. Singles on nine dates.
- Caryocolum vicinella
One on 21/9/2003.
- Dichomeris marginella *Juniper Webber*
Occasional singles during July.
- Helcystogramma rufescens
4/7-24/7/2003. 1-2 on most nights.
- Oegoconia quadripuncta
14/6-20/7/2003. Singles on eleven dates.
- Blastobasis lignea
30/6-31/8/2003. Common and virtually every night.
- Blastobasis decolorella
Double brooded. 27/5-9/8/2003. Common, noted on every night.
8/9-3/10/2003. 1-3 on many dates. Four singles from 5/11-26/11.

Mompha ochraceella

Singles on 26/6 and 8/7/2003.

Mompha raschkiella

One on 9/8/2003.

Mompha propinquella

One on 1/8/2003.

Blastodacna hellerella

1/6-28/6/2003. 1-4 on twelve dates.

Agdistis bennetii

7/6-16/7/2003. Singles on five dates.

Oxyptilus distans

One on 17/9/2003.

Marasmarcha lunaedactyla

One on 31/7/2003.

Amblyptilia acanthadactyla

Singles on 16/6, 21/7 and 31/8/2003.

Stenophila bipunctidactyla

One on 8/7/2003.

Emmelina monodactyla

One on 3/1/2003. 23/3-20/5. 1-3 on ten dates.
2/9-25/12/2003. 1-2 on eleven dates.

Alucita hexadactyla

Twenty-plume Moth

4/7-3/9/2003. 1-3 on twelve dates.

F Solly